SAEL
SUSTAINABLE & AFFORDABLE ENERGY FOR LIFE

Ref: SAEL/APRIL/2025/167 Date: 30.04.2025

To

The Joint Director
Ministry of Environment, Forest & Climate Change
Northern, Regional Office, Bays No. 24-25
Sector-31-A, Chandigarh-160030

Sub: - Half Yearly Compliance Report (Period 01.10.2024 to 31.03.2025) of conditions of Environmental Clearance granted vide no. DECC/SEIAA/2019/953 dated 02.12.2019 for 18 MWH Biomass Thermal Power Plant– M/s SAEL Limited, (Previously Known as Sukhbir Agro Energy Limited), Village Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot-151205, Punjab

Sir,

It is submitted that Environmental Clearance was granted to the industry vide no. DECC/SEIAA/2019/953 dated 02.12.2019.

We hereby, submit the half yearly Compliance Report of conditions of Environmental Clearance for the period w.e.f. **01.10.2024 to 31.03.2025** for your kind information & further necessary action please.

The receipt of the same may kindly be acknowledged.

Thanking You,

Yours Sincerely,

For SAEL LIMITED

For M/S SAEL Limited, (Previously Known as Sukhbir Agro Energy Limited).

C.C. to the following for information & necessary action: -

1. The Secretary to Govt. of India, Ministry of Environment and Forest, Indira Paryavaran Bhavan, Jorbagh Road, New Delhi – 110 003, India.
2. The Member Secretary, State Level Environment Impact Assessment Authority, Punjab, Ministry of Environment, Forest & Climate Change, Govt. of India O/o Directorate of Environment & Climate Change C/o PSCST, MGSIPA Complex, Sector-26, Chandigarh-160019.

COMPLIANCE REPORT
OF
CONDITIONS IMPOSED
IN
ENVIRONMENTAL CLEARANCE
For

18 MWH Biomass Based Thermal Power Plant
(Granted Vide no. DECC/SEIAA/2019/953 dated 02.12.2019)

(w.e.f. 01.10.2024 to 31.03.2025)

SAEL Limited

(Previously Known as Sukhbir Agro Energy Limited)
Village Sedha Singh Wala, Tehsil Jaitu,
Distt. Faridkot-151205, Punjab



SAEL
SUSTAINABLE & AFFORDABLE ENERGY FOR LIFE

Prepared By:

Er. R.K. Gupta
Senior Environmental Engineer (Retd.)
CHARTERED ENGINEER
Punjab Pollution Control Board
Mob. 99147-67267, 98789-50510
E-mail: - gupta1958rk@gmail.com

R4 ENVIRO
ENVIRONMENTAL CONSULTANTS
#7, Sukh Enclave, New Officers Colony
Patiala (Punjab) – 147001
Mob: - 98145-39397, 01755 202 707
E-mail: - info@r4enviro.com

INDEX

Sr. No.	Particulars	Annexures
1.	Brief About the Industry & Salient Features of the Project	
2.	Compliance Report of EC Conditions w.e.f. 01.10.2024 to 31.03.2025	
3.	Permission for Withdrawal of Canal Water	**Annexure – I**
4.	Change of Land Use (CLU) of the industry	**Annexure – II**
5.	Analysis Report of Ambient Noise Level conducted by NABL Lab on dated 18.03.2025	**Annexure – III**
6.	Analysis Report of Surface water conducted by NABL Lab on dated 18.03.2025	**Annexure – IV**
7.	Analysis Report of STP conducted by NABL Lab on dated 18.03.2025	**Annexure – V**
6.	Photographs of Green Belt	**Annexure – VI**
7.	Environment Audit Report & Environmental Statement for F.Y. 2023-24	**Annexure – VII**
8.	Analysis Report of Stack Emissions & Ambient Air conducted by NABL Lab on dated 18.03.2025	**Annexure – VIII**
9.	Photographs of CSR Activities alongwith Expenditure	**Annexure – IX**

Brief About the Industry &
Salient Features of the Project

(01.10.2024 to 31.03.2025)

1.	**Project Type**	**Biomass Power Plant**
2.	**Name of the Project**	**SAEL Limited** (Previously Known as Sukhbir Agro Energy Limited) Village Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot-151205, Punjab
3.	**Clearance letter (s)/OM no. and date**	SEIAA/PB/THE/25814/2018
4.	**Location:**	
	a) District	Faridkot
	b) State	Punjab
	c) Location: Lat/Long	$30^0$27'25.52" N / $74^0$56'22.61" E
5.	**Address for correspondence**	Sukhbir Agro Energy ltd A-4, Main Green Park, New Delhi - 110016 Email: info@sael.co
6.	**Salient Features**	
a)	**Of the Project**	The projects are 18 MWH biomass (100% agro – waste/residue-paddy straw) based thermal Power plant

b)	**Of the Environment Management Plans**	• Adequate arrangement for air pollution mitigation and control (From material haulage, on site material handling, combustion emission. • Adequate arrangement for noise control Suitable planning for water management and conservation (including Storm water management). Adequate arrangement for waste water treatment and disposal. • Adequate Arrangement for management and disposal of Solid wastes and hazardous wastes. • Occupational health and safety system has been suitably planned and implemented. • On site/of site disaster and emergency response management has been suitably planned and implemented Adequate green belt has been developed.
7.	**Break-up of Project area**	Total Area=24.259 acres Build-up Land =16500 Sq.m. Road Development =12000 Sq.m Green Belt =35200.73 Sq.m. Biomass Storage=37000 Sq.n. Open Areas=5853 Sq.m.
	a) Submergence forest area and non-forest area	Not Applicable
	b) Others	N.A.
8.	**Break-up of the project affected population with enumeration of those losing houses/dwelling units only agricultural land only both dwelling units & agricultural land & landless labourers /artisans:**	
	a) SC/ST/Adivasis	Not Applicable

	b) Others (Please indicate whether these figures are based on any scientific and systematic survey carried out or only provisional figures. If a survey has been carried out give details and year of survey.	
9.	Financial Details: **a) Project Cost as originally planned and subsequent revised estimates and the year of price reference**	Planned cost of project =141.25 crore Actual cost of project =170.60 crore
	b) Allocations made for environmental management with item wise and year of assessment	Capital cost =125 lacs Recurring cost=60 lacs/annum
	c) Benefit cost ratio/Internal rate of return and year of assessment	9.25%
	d) Whether (c) includes the cost of environmental management as shown in (b) above.	Yes
	e) Actual expenditure incurred on project so far.	170.60 Crores
	f) Actual expenditure incurred on EMP so far.	Consultant
10.	**Forest Land Requirement:**	N.A.
	a) The status of approval for diversion of forest land for non-forestry use.	N.A.

	b) The status of clearing felling, if any	Nil
	c) The Status of compensatory afforestation, if any	Nil
	d) Comments on the viability & sustainability of CA program in the light of actual field experience so far	Nil
11.	**The status of clear felling in the non-forest areas Such as submerge areas of reservoir, approach road) if any, with quantitative information.**	Nil
12.	**Status of Construction**	
	a) Date of commencement (actual and/or planned)	March, 2019
	b) Date of completion (actual and/or planned)	December, 2019
13.	**Reason for delay if the project is yet to start**	N.A.

Half Yearly Compliance Report of the conditions of Environmental Clearance under EIA notification dated 14.09.2006 granted vide no. DECC/SEIAA/2019/953 dated 02.12.2019 for 18 MWH Biomass Based Thermal Power Plant M/s SAEL Limited, (Previously Known as Sukhbir Agro Energy Limited), Village Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot-151205, Punjab (Period 01.10.2024 to 31.03.2025)

EC Conditions:

I.	Statutory Compliance:	
Sr. No.	**Condition**	**Action Taken / Compliance**
1.	**SPECIAL CONDITION**	
i.	In case, MOEF & CC make it mandatory for thermal plant to provide electrostatic precipitator as air pollution control device or in event of failure to achieve the prescribed emission standards with the proposed Bag Filter House Technology, the project proponent shall replace the bag house filters with electrostatic precipitator or better technology (if any prescribed by the MOEF & CC), with a period of six months as undertaken by it.	The industry installed bag filters as APCD. In the initial stage, the APCD were working efficiently. After some period, the bag filters started choking/burning. The industry took decision to replace the bag filters with better technology i.e. Electrostatic precipitator (ESP). So, the industry replaced the bag filters with ESP as APCD during October, 2023.
A.	**STATUTORY COMPLIANCE**	
i.	Emission standard for the thermal plant as per -2 2015 G S R S 93 (E) dated 28-06-2018 and as amended from time to time shall be complied.	The industry is complying with the emissions standards.

For SAEL LIMITED

Authorized Signatory

ii.	MoEF&CC notification G.S.R. 02 (E) dated 2.1 2014 as amended time to time regarding use of raw or blended or beneficiated/washed coal with ash content not exceeding 34% shall be complied with, as applicable.	The industry is based on agro fuel, in which paddy straw is being used as fuel and no coal is used, hence, not applicable.
iii.	MoEF&CC notification on fly ash utilization S. O. 763(E) dated 14.09.1999, S. O. 979(E) dated 27.08.2003, S.O. 2804(E) 3.11.2009, S.O. 254(E) dated 25.01.2016 as amended from time to time shall be complied.	Since, the plant is not based on coal as fuel, hence, not applicable. However, the ash is being disposed off in an environmentally sound manner, for land filling and covering the same with good earth.
iv.	The recommendation from standing committee of NBWL under the Wildlife Protection Act, 1972 should be obtained, if applicable.	Not applicable, as the project is not located near to forest area.
v.	No Objection Certificate from Ministry of Civil Aviation be obtained for installation of requisite chimney height and its siting criteria for height clearance.	Not Applicable.
vi.	Ground Water shall not be drawn during construction of the project. In case, ground Water is drawn during construction, necessary permission be obtained from CGWA.	The industry is not using ground water. The canal water is being used since the establishment of the industry. Hence, no permission from CGWA/PWRDA is required. The copy of permission for canal water supply obtained by the industry from Competent Authority is enclosed as per ***Annexure – I.***

For SAEL LIMITED

Authorized Signatory

vii.	The project site shall confirm to the suitability as prescribed under the previous laid down under the master plan of respective city/town. For that, the project proponent shall either to submit the NOC/land use conformity certificate from deptt of Town and country. Planning or other concerned authority under whom jurisdiction, the site falls.	The project has been established after change of land use. The industry has obtained CLU from Competent Authority. The copy of which is enclosed as per ***Annexure – II.***
viii.	Besides above, the project proponent shall also comply with siting criteria/guidelines, standard operating practices, code of practice and guidelines if any prescribed by the SPCB/CPCB/MoEF&CC for such type of projects.	Not applicable, as no siting criteria has been laid for such type of industries. However, the project meets with other guidelines laid down by PPCB.
B	**ASH CONTENT/MODE OF TRANSPORTATION OF BIO MASS:**	
i.	EC is given on the basis of assumption of 15% of ash content and 50 km radial distance of transportation in rail/road/conveyor/any other mode. Any increase of % ash content by more than 1 %, and/or any change in transportation mode or increase in transport distance (except for rail) require application for modifications of EC conditions after conducting the 'incremental impact assessment' and proposal for mitigation measures.	The ash content from the fuel is less than 15%. It remains near to 14%.
C.	**AIR QUALITY MONITORING AND MANAGEMENT:**	
i.	Flue Gas desulphurization system shall be installed based on Lime/Ammonia dosing to capture sulphur in the flue gases to meet the SO_2 emissions standard of 100 mg/Nm3, if required.	Not applicable as the industry is not using coal as fuel.
ii.	Selective Catalytic Reduction (SCR) system or the Selective Non-Catalytic Reduction (SNCR) system or NOx burners with Over Fire Air (OFA) system shall be installed to achieve NOx emission standard of 100 mg/Nm^3, if required	The industry is using paddy straw as fuel. The Nox level always remain less than 100 mg/ Nm^3.

For SAEL LIMITED
Authorized Signatory

iii.	High efficiency bag filter shall be installed in each unit to ensure that particulate matter (PM) emission to meet the stipulated standards of 30 mg/Nm^3	The industry installed bag filters as APCD and afterwards replaced the same with ESP during Oct, 2023.
iv.	Stacks of prescribed height of 70 m shall be provided with continuous online monitoring instruments for SOx, NOx and particulate matter as per extant rules.	Adequate stack height of 70.75 meter has been provided by the industry.
v.	Exit velocity of flue gases shall not be less than 20-25 m/s. Mercury emissions from stack shall also be monitored periodically.	Not applicable as coal is not used as fuel.
vi.	Continuous Ambient Air Quality Monitoring system shall be set up to monitored periodically. common/criteria pollutants from the flue gases such as PM-10, PM2.5, SO2, NOx within the plant area at least at one location. The monitoring of other locations (at least three locations outside the plant area covering upwind and downwind directions at an angle of 120° each) shall be carried out manually.	The Ambient Air Quality Monitoring is got conducted by the industry periodically.
vii.	Adequate dust extraction/suppression system shall be installed in raw material handling, ash handling areas and material transfer points to control fugitive emissions.	The ash is handled and disposed off in wet form and hence, no fugitive emissions are generated.
viii.	Appropriate Air Pollution Control measures (DE/DSs) be provided at all the dust generating sources including sufficient water sprinkling arrangements at various locations viz., roads, excavation sites, crusher plants, transfer points, loading and unloading areas, etc.	Adequate measures have already been taken by the industry. No dust pollution is generated inside or outside the industry.

For SAEL LIMITED
Authorized Signatory

D.	**NOISE POLLUTION AND ITS CONTROL MEASURES:**	
i.	The Ambient Noise levels shall meet the standards prescribed as per the Noise pollution (Regulation and control) rules, 2000.	The noise levels always remain within prescribed limits. The copies of analysis reports are enclosed as per ***Annexure – III.***
ii.	Person exposed to high noise generating equipment shall use Personal Protective Equipment (PPE) like earplugs/ear muffs, etc.	The workers have been provided with PPE kits i.e. gum shoes, gloves, waist jackets, goggles and ear plugs etc.
iii.	Periodical medical examination on hearing loss shall be carried out for all the workers and maintain audiometric record and for treatment of any hearing loss including rotating to non-noisy/less noisy areas.	Periodical medical examination of the workers is got conducted by the industry.
E.	**HUMAN HEALTH ENVIRONMENT:**	
i.	Bi-annual health check-up of all the workers is to be conducted. The study shall take into account of chronic exposure to noise which may lead to adverse effects like increase in heart rate and blood pressure, hypertension and peripheral vasoconstriction and thus increased peripheral vascular resistance. Similarly, the study shall also assess the health impacts due to air polluting agents.	Health check-up of all the workers is conducted by the industry at least twice a year.
ii.	Baseline health status within study area shall be assessed and report be prepared. Mitigation measures should be taken to address the endemic diseases.	Suitable measures have been taken regarding the health of the workers.

For SAEL LIMITED
Authorized Signatory

iii.	Impact of operation of power plant on agricultural crops, large water bodies (as applicable) once in two years by engaging an institute of repute. The study shall also include impact due to heavy metals associated with emission from power plant.	No complaints have been received from the nearby farmers or from any other source since the establishment of the industry.
iv.	Sewage Treatment plant shall be provided for domestic waste water.	Sewage Treatment Plant (STP) of capacity 50 KLD has been provided by the industry for treatment of domestic effluent.
F.	**WATER QUALITY MONITORING AND MANAGEMENT:**	
i.	Induced/natural draft closed cycle wet cooling system including cooling towers shall be setup with minimum cycles of concentration (COC) of 5.0 or above for power plants using fresh water to achieve specific water consumption of 2.5 m3/MW hr (or) Induced/Natural draft open cycle cooling system shall be set up with minimum cycles of concentration (COC) of 1.5 or above for power plants using sea water.	Already implemented. The cycle of concentration (COC) is being maintained by the industry more than 5.0.
ii.	Records pertaining to measurements of daily water withdrawal and river flows (obtained from irrigation department/water resources department) immediately upstream and downstream of withdrawal site shall be maintained.	The records of the canal water supply are being maintained on daily basis.
iii.	Rainwater harvesting in and around the plant area be taken up to reduce drawl of fresh water. If possible, recharge of groundwater to be taken to improve the ground water table in the area.	There is no withdrawal of underground water. The canal water is used in the process. The roof top rain water is also taken into the water reservoir, so as, to reduce the drawl of canal water supply.

For SAEL LIMITED

Authorised Signatory

iv.	Regular (at least once in six months) monitoring of groundwater quality in and around the ash pond area including presence of heavy metals (Hg, Cr, As, Pb, etc.) shall be carried out as per CPCB guidelines. Surface water quality monitoring shall be undertaken for major surface water bodies as per the EMP. The data so obtained should be compared with the baseline data so as to ensure that the groundwater and surface water quality is not adversely impacted due to the project & and its activities.	Not applicable, as there is no ash pond area. However, surface water monitoring is being conducted. The analysis report of surface water is enclosed herewith as per ***Annexure – IV.***
v.	The treated effluents emanating from the different processes such as DM plant, boiler blow down, ash pond/dyke, sewage etc. conforming to the prescribed standards shall be re-circulated and reused. Sludge/rejects will be disposed in accordance with the hazardous waste management rules.	The reject from D.M. plant is used for plantation after pH correction. The domestic effluent is also used for plantation after treatment in STP. The boiler blow down etc is taken into the reservoir.
vi.	Hot water dispensed from the condenser should be adequately cooled to ensure the temperature of the released surface water is not more than 5 degrees Celsius above the temperature of the intake water.	It is being ensured. No water is discharged into any water body.
vii.	Based on the commitment made by the project proponent, Sewage treatment plants within the radius of 50 km proposed project, the treated sewage shall be used as an alternative to the fresh water source to minimize the fresh water drawl from surface water bodies.	The treated water from STP is utilized for plantation, so as, to reduce the use of fresh water for plantation.
viii.	Wastewater generation of from various sources (viz. cooling tower blowdown, boiler blow down) shall be used for ash quenching purposes within the premises.	The waste water i.e. from cooling tower blow down and boiler blow down is taken back into the water reservoir.

For SAEL LIMITED

Authorized Signatory

ix.	Sewage will be treated by setting up sewerage treatment plant of adequate capacity to maintain the treated sewage characteristics of pH:6.5-9.0; Bio-Chemical Oxygen Demand:30 mg/l; Total Suspended Solids: Coliforms (MPN:	STP has already been installed and the treated effluent is meeting the norms prescribed by the PPCB. The copy of analysis report of treated domestic effluent is enclosed as per ***Annexure – V.***
x.	During Construction phase, the project proponent shall ensure that the waste water being generated from the labour quarters/toilets shall be treated and disposed in environment friendly manner. The project proponent shall also exercise the option of modular bio-toilets or will provide proper and adequately design septic tanks for the treatment of such waste water and treated effluents shall be utilized for green area/plantation.	The project is now in the commissioning stage for the last more than 5 years and hence not applicable.
G.	**RISK MITIGATION AND DISASTER MITIGATION AND DISASTER MANAGEMENT:**	
i.	Adequate safety measures and environmental safeguards shall be provided in the plant area to control spontaneous fires in coal yard, especially during dry and humid season.	No coal is used in the industry. However, in the fuel yard and in other places, adequate measures have been taken like fire hydrants, mobile water tankers etc.
ii.	Storage facility for auxiliary liquid fuel such as LDO and HFO/LSHS shall be made as per the extant rules in the plant area in accordance with the directives of petroleum & explosives safety organization (PESO). Sulphur content in the liquid fuel should not exceed 0.5%.	No liquid fuel is used such as LDO/HFO/LSHS. Only HSD is used in the D.G. set which is stored in adequate manner.
iii.	Ergonomic working conditions with first aid and sanitation arrangements shall be made for the drivers and other contract workers during construction phase.	The project is now in the commissioning stage for the last more than 5 years.

For SAEL LIMITED

Authorised Signatory

iv.	Safety management plan based on risk assessment shall be prepared to limit the risk exposure to the workers within the plant boundary.	Safety management plan has already been prepared and adequate measures have already been taken for the safety of the workers.
v.	Regular mock drills for on-site emergency management plan and integrated Emergency Response system shall be developed for all kind of possible disaster situations.	Onsite emergency plan has already been prepared by the industry. The mock drills are conducted periodically.
H.	**GREEN BELT AND BIODIVERSITY CONSERVATION:**	
i.	Green belt shall be developed in an area of 335 of the total project with indigenous native tree species in accordance with CPCB guidelines/SEIAA guidelines. The green belt shall inter-alia cover an entire periphery of the plant.	Sufficient green belt has been provided by the industry inside the industrial plant. The photographs are as per ***Annexure – VI.*** The industry has also approached to nearby Panchayats regarding providing of land for carrying out more plantation.
ii.	In-situ/ex-situ Conservation Plan for the conservation of flora and fauna should be prepared and implemented.	The industry is not discharging any type of effluent outside the industry. As such, there is no impact on In-situ/ex-situ flora and fauna.
I.	**WASTE MANAGEMENT:**	
i.	Solid waste management should be planned in accordance with extant solid waste management rules, 2016.	Solid waste is disposed off in an environmentally sound manner in fully covered tippers fitted with GPS system.

For SAEL LIMITED

Authorized Signatory

ii.	Toxicity Characteristic Leachate procedure (TCLP) test shall be conducted for any substance, potential of leaching heavy metals into the surrounding areas as well as into the groundwater.	There is no ash dykes, as such, not applicable.
iii.	Ash pond shall be lined with impervious liner as per the soil conditions. The project proponent shall store as in the silos. From silos, the ash will be transported to the brick kilns/paver block industries by trucks. The project proponent will ensure that the frequency of trucks is adequate vis-a-vis the storage capacity of the silos.	Not applicable, as there are no ash ponds.
iv.	Fly ash shall be collected in dry form and ash generated shall be used in phased manner as per provisions of the notification on fly ash utilization issued by the Ministry and amendment thereto. By the end of the 4th year, 100 % fly ash utilization should be ensured. Unutilized ash should be disposed off in the ash pond in the form of high concentration slurry. Mercury and heavy metals (As, Hg, cr, Pb etc.) will be monitored in the bottom ash also in the effluents emanating from the existing ash pond. Fly ash utilization details shall be submitted to concern regional office along with the six-monthly compliance reports and utilization data shall be published on company's website.	Since, the industry is not using coal as fuel, as such, no fly ash is generated. The ash generated is disposed off in an environmentally sound manner in fully covered tippers which are fitted with GPS system.
v.	Unutilized ash shall be disposed-off in the ash pond in the form of high concentration slurry/medium concentration Slurry/Lean Concentration slurry method. Ash water recycling system shall be set up to recover supernatant water.	Not applicable, as there are no ash ponds, as no coal is used as fuel.

For SAEL LIMITED

Authorized Signatory

J.	**MONITORING OF COMPLIANCE**	
i.	Environmental Audit of the project be taken up the third party for preparation of Environmental Statement as per Form-V & Conditions stipulated in the EC and report be submitted to the ministry.	The Environment Audit is conducted by the Chartered Engineer. The Environment Audit Report F.Y. 2023-24 enclosed herewith as per ***Annexure – VII.***
ii.	Resettlement & Rehabilitation plan per the extant rules of Govt. of India and respective State Govt. shall be followed, if applicable.	Not Applicable.
iii.	Energy Conservation Plan to be implemented as envisaged in the EIA/ EMP report. Renewable Energy Purchase obligation as set by Mop / State Government shall be met either by establishing renewable energy power plant (such as solar, wind, etc.) or by purchasing Renewable Energy Certificates.	The industry is a power plant, which generate the electricity hence, not applicable.
iv.	Monitoring of Carbon emission from the existing power plants as well as for the proposed power project shall be carried out annually from a reputed institute and report be submitted to Ministry's Regional office.	Monitoring is got conducted by the industry from NABL approved lab periodically.
v.	Energy and water Audit shall be conducted at least once in two years and recommendations arising out of the Report should be followed. A report in the regards shall be submitted to ministry's Regional office.	Water Audit also conducted which has been reflected in the Environmental Audit Report.
vi.	Environment Cell (EC) shall be constituted by taking members from different division, headed by qualified person on the subject, who shall be reporting directly to the head of the project.	Environment Cell has already been constituted.

For SAEL LIMITED
Authorized Signatory

vii.	The project proponent shall (Post-EC Monitoring)'	
I)	Send a copy of environmental clearance letter to the head of Local Bodies, Panchayat, Municipal bodies and relevant officers of the Government.	The industry has already sent. The Environmental Clearance (EC) letter to the Concerned Authority.
II)	Upload the clearance letter on the web site of the company as a part or information to the general public	Already uploaded on website of the industry.
III)	Inform the public through advertisement within seven days from the date of issue of the clearance letter , at least in two local newspaper that are widely circulated in the region of which one shall be in the vernacular language that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SCBP and may also be seen at website the ministry of Environment, Forest and Climate Change (MoEF&CC)at http://parviesh.nic.in.	Already informed the surrounding public after getting Environmental Clearance (EC).
IV)	Upload the status of compliance of the stipulated environment clearance condition, including result of monitored data on their website and update the same periodically;	Complying with. The industry is uploading the status of compliance of the Environmental Clearance (EC) conditions on the website of the industry.
V)	Monitor the criteria pollutants level namely; PM (PM-10&PM-2.5 in case of ambient AAQ), SO2, NOx (ambient levels as well as stack emission) or critical sectoral parameters, indicated for the project and display the same at a convenient location for discloser to the public and put on the website of the company;	Monitoring is being conducted periodically. The analysis reports of stack emissions and ambient air are enclosed as per ***Annexure – VIII.***

For SAEL LIMITED
Authorized Signatory

VI)	Submit six monthly reports on the status of the compliance of the stipulated environmental condition including result monitored data (both in hard copies as well as by e-mail) to the Regional office of MoEF&CC, the respective Zonal office of CPCB and the SPCB;	Submitting the six-monthly compliance reports regularly.
VII)	Submit the environmental statement for each financial year in Form V to the concerned State Pollution Control Board as prescribed under the Environment (protection) Rules,1986, as amended subsequently and put on the website of the company;	Submitting the Environment Audit Report & Environmental Statement regularly to be Competent Authority.
VIII)	Inform the Regional office as well as the Ministry, data of financial closure and final approval of the project and the data of commencement of the land development work.	Already complied with.
K.	**CORPORATE ENVIRONMENTAL RESPONSIBILITY (CER) ACTIVITIES;**	
1.	CER activities will be carried out as per OM No.22-65/2017-IA-II dated 01.05.2018 or as proposed by the PP in reference to Public Hearing or as earmarked in the EIA/EMP report along with the detailed scheduled of implementation with appropriate budgeting.	The industry is undertaking activities under CER annually. The activities under taken during the F.Y. 2024-25 are as per ***Annexure – IX.***
XI.	**VALIDITY**	
i.	This environmental clearance will be valid for a period of seven years from the data of its issue for till the completion of the project, whichever is earlier.	O.K. Agreed and Noted Please.

For SAEL LIMITED

Authorized Signatory

XII.	**MISCELLANEOUS**	
i.	The project authorities must strictly adhere to the stipulation made by the State Pollution Control board and the State Government.	Complying with the stipulation made by the Punjab Pollution Control Board (PPCB).
ii.	The project proponent shall abide by all the commitments and recommendations made in the EIA/EMP report, commitment made during public Hearing and also that during their presentation to the Expert Appraisal Committee.	Complying with all the commitments & recommendations.
iii.	No further expansion or modification in the plant shall be carried out without prior approval of the ministry of Environmental, Forests and climate change (MoEF&CC).	O.K. noted please. No expansion is carried out beyond 18 MWH.
iv.	Concealing factual data or submission of false/fabricated data may result in revocation of this environmental clearance, and attract action under the provision of Environment (Protection) Act,1986.	O.K. Agreed & Noted Please.
v.	The SEIAA may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	O.K. Agreed & Noted Please.
vi.	The SEIAA reserves the right to stipulate additional conditions if found necessary. The Company in a time bound manner shall implement these conditions.	O.K. Agreed & Noted Please.
vii.	The Regional office of this ministry shall monitor compliance of the stipulated conditions. The project authorities should extend full corporation to the officer (s) of the Regional office by Famishing the requisite data/information/monitoring reports.	O.K. Agreed & Noted Please.

For SAEL LIMITED

Authorized Signatory

viii.	The above conditions shall be enforced, inter-alia under the provision of the Water (Prevention & Control of Pollution) Act, 1974, the Air (prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous and Other Wastes (Management and Trans boundary Movement) Rules, 2016 and the public Liability Insurance Act,1991 along with their amendments and Rules and any other orders passed by the Hon'ble Supreme Court of India /High Courts and any other court of law relating to the subject matter.	O.K. Agreed & Noted Please.
ix.	Any appeal against this EC shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of national Green Tribunal Act, 2010.	O.K. Agreed & Noted Please.

For SAEL LIMITED

Authorized Signatory

Annexure - I

ਨੰਬਰ 99 /50-ਆਰ/ਫ਼ਰੀਦਕੋਟ ਮਿਤੀ 8/1/2021

ਵੱਲੋਂ

ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ।

ਮੀ: ਲੇਖਾ ਅਫ਼ਸਰ/ਮੁ: ਖਰਚਾਵਾਰ
ਨਹਿਰੀ/ਡਰੇਨਜ਼ ਸਬ/ਡਵੀਜ਼ਨ
ਜਿਲ੍ਹਾ ਫ਼ਰੀ 50 ਕੇਸ ਨੰ
ਮਿਤੀ 14-1-2021 50 ਪੀ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ

ਵੱਲ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਫ਼ਰੀਦਕੋਟ ਨਹਿਰ ਮੰਡਲ
ਫ਼ਰੀਦਕੋਟ।

ਵਿਸ਼ਾ :- **Request for Installing water flow meter and reduce the bulk supply permission.**

ਹਵਾਲਾ :- ਆਪ ਦਾ ਪੱਤਰ ਨੰਬਰ 1426/50-ਆਰ ਮਿਤੀ 23/11/2020

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਆਪ ਵੱਲੋਂ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਰਾਹੀਂ ਕੀਤੀ ਗਈ ਸਿਫਾਰਸ਼ ਦੇ ਅਧਾਰ ਤੇ ਸੁਖਵੀਰ ਐਨਰਜੀ ਲਿਮਟਿਡ, ਸੇਢਾ ਸਿੰਘ ਵਾਲਾ ਨੂੰ ਪਾਣੀ ਦਾ ਡਿਸਚਾਰਜ 2.21 ਕਿਊਸਿਕ ਤੋਂ ਘਟਾ ਕੇ 1.70 ਕਿਊਸਿਕ ਰੋਂਤਾ ਰਜਵਾਹਾ ਦੀ ਬੁਰਜੀ 134000-ਆਰ ਤੋਂ ਕੰਟਰੈਕਟ ਬੇਸਿਜ਼ ਦੇ ਅਧਾਰ ਤੇ ਦੇਣ ਦੀ ਮੰਨਜੂਰੀ ਇੱਕ ਸਾਲ ਲਈ ਅਧੀਨ ਰੂਲ ਪੀ.ਐਫ.ਆਰ. ਵਾਲਯੂਮ-1 ਪਾਰਟ-1 ਦੇ ਲੜੀ ਨੰਬਰ 23 ਰੂਲ 19.7 ਦੇ ਤਹਿਤ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਨੋਟੀਫਿਕੇਸ਼ਨ ਨੰਬਰ 10/110/2012-ਡਿਬ:(2)88/1 ਮਿਤੀ 23/01/2020 ਨਵੇਂ ਰੇਟਾਂ ਅਨੁਸਾਰ ਕੈਲਕੁਲੇਸ਼ਨ ਸ਼ੀਟ ਤਿਆਰ ਕਰਕੇ ਜੋ ਇੱਕ ਸਾਲ ਲਈ ਕੀਮਤ ਬਣੇਗੀ ਉਹ ਵਸੂਲਕੇ ਹੀ ਮੋਘਾ ਲਗਾਇਆ ਜਾਵੇ ਅਤੇ ਸਬੂਤ ਵਜੋ ਕੈਲਕੁਲੇਸ਼ਨ ਸ਼ੀਟ ਅਤੇ ਰਸੀਦ ਦੀ ਫੋਟੋ ਕਾਪੀ ਬਿਨ੍ਹਾ ਕਿਸੇ ਦੇਰੀ ਭੇਜੀ ਜਾਵੇ।

ਪਾਣੀ ਦੀ ਮੰਨਜੂਰੀ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਦੇ ਅਧਾਰ ਤੇ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ:-

1) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕਰਨ ਨਾਲ ਚੈਨਲ ਦੀਆਂ ਟੇਲਾਂ ਉਪਰ ਕੋਈ ਮਾੜਾ ਅਸਰ ਨਹੀਂ ਪਵੇਗਾ।

2) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕੰਟਰੈਕਟ ਪੀਰੀਅਡ ਖਤਮ ਹੋਣ ਉਪਰੰਤ ਬੰਦ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ।

3) ਕੰਟਰੈਕਟ ਉਦੋਂ ਤੱਕ ਮੰਨਿਆ ਜਾਵੇਗਾ, ਜਦੋ ਤੱਕ ਸਬੰਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਐਡਵਾਂਸ ਰਕਮ ਮਹਿਕਮੇ ਕੋਲ ਜਮ੍ਹਾਂ ਕਰਵਾ ਦਿੱਤੀ ਜਾਵੇਗੀ। ਜੇਕਰ ਐਡਵਾਂਸ ਰਕਮ ਇੱਕ ਸਾਲ ਲਈ ਜਮ੍ਹਾਂ ਕਰਵਾਈ ਜਾਵੇਗੀ ਤਾਂ ਕੰਟਰੈਕਟ ਇੱਕ ਸਾਲ ਲਈ ਮੰਨਿਆ ਜਾਵੇਗਾ। ਇਸ ਨੂੰ ਉਦੋਂ ਹੀ ਅੱਗੋਂ ਤੱਕ ਵਧਾਇਆ ਜਾ ਸਕਦਾ ਹੈ, ਜੇਕਰ ਐਡਵਾਂਸ ਪੈਸੇ ਸੰਬਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਮਹਿਕਮਾ ਨਹਿਰ ਪਾਸ ਜਮ੍ਹਾਂ ਕਰਵਾਏ ਜਾਣਗੇ।

4) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੀ ਰਕਮ ਐਡਵਾਂਸ ਜਮ੍ਹਾਂ ਨਾ ਕਰਵਾਉਣ ਦੀ ਸੂਰਤ ਵਿੱਚ ਸਪਲਾਈ ਬੰਦ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ।

5) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਸਰਕਾਰ ਵੱਲੋਂ ਸਮੇਂ-ਸਮੇਂ ਤੇ ਰੇਟਾਂ ਵਿੱਚ ਹੋਈ ਤਬਦੀਲੀ ਦੇ ਅਧਾਰ ਤੇ ਹੋਵੇਗੀ।

6) ਅਦਾਰੇ ਵੱਲੋਂ ਪਾਣੀ ਮੋਘੇ ਤੋਂ ਲਿਆਉਣ ਦਾ ਆਪਣਾ ਬੰਦੋਬਸਤ ਹੋਵੇਗਾ। ਮਹਿਕਮੇ ਦੀ ਇਸ ਸਬੰਧੀ ਕੋਈ ਜਿੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।

7) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਨਹਿਰ ਦੇ ਚੱਲਣ ਦੇ ਨਿਰਭਰ ਕਰਦੀ ਹੈ, ਕਿਉਂਕਿ ਨਹਿਰੀ ਰੋਟੇਸ਼ਨ ਦੇ ਅਧਾਰ ਤੇ ਚੱਲਦੀ ਹੈ।

Scanned with CamScanner

8) ਨਹਿਰ ਦੀ ਬੰਦੀ ਸਮੇਂ ਅਦਾਰੇ ਨੂੰ ਪਾਣੀ ਦਾ ਪ੍ਰਬੰਧ ਖੁੱਦ ਕਰਨਾ ਪਵੇਗਾ। ਨਹਿਰ ਦੀ ਬੰਦੀ ਦੌਰਾਨ ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕਰਨ ਦੀ ਕੋਈ ਜਿੰਮੇਵਾਰੀ ਮਹਿਕਮੇ ਦੀ ਨਹੀਂ ਹੋਵੇਗੀ।

9) ਚੈਨਲ ਦੀ ਸੁਰੱਖਿਆ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਮੋਘੇ ਦੀ ਉਸਾਰੀ ਤੇ ਆਉਣ ਵਾਲਾ ਖਰਚਾ ਸਬੰਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਜਮ੍ਹਾਂ ਕਰਵਾਉਣ ਉਪਰੰਤ ਇਸ ਦੀ ਉਸਾਰੀ ਮਹਿਕਮਾ ਨਹਿਰ ਵੱਲੋਂ ਹੋਵੇਗੀ।

10) ਜੇਕਰ ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੇਣ ਕਰਕੇ ਚੈਨਲ/ਮਾਈਨਰ ਦਾ ਕੋਈ ਨੁਕਸਾਨ ਹੁੰਦਾ ਹੈ ਤਾਂ ਉਸ ਦੀ ਮੁਰੰਮਤ ਆਦਿ ਤੇ ਆਉਣ ਵਾਲਾ ਖਰਚਾ ਸਬੰਧਤ ਅਦਾਰਾ ਕਰੇਗਾ।

11) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੀ ਮੰਨਜੂਰੀ ਕਿਸੇ ਸਮੇਂ ਵੀ ਰੱਦ ਕਰਨ ਲਈ ਮਹਿਕਮਾ ਜਲ ਸਰੋਤ ਕੋਲ ਹੱਕ ਰਾਖਵਾਂ ਰਹੇਗਾ।

Tasvir Singh
ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ

ਨੱਥੀ/ਕੈਲਕੁਲੇਸ਼ਨ ਸ਼ੀਟ

ਨੰਬਰ /50-ਆਰ/ਫਰੀਦਕੋਟ ਮਿਤੀ /2021

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆ ਨੂੰ ਸੂਚਨਾਂ ਅਤੇ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ :-

1) ਏ.ਜੀ. ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ।
2) ਹਲਕਾ ਹੈਡ ਡਰਾਫਟਸਮੈਨ, ਸਰਹੰਦ ਨਹਿਰ ਹਲਕਾ, ਲੁਧਿਆਣਾ।

ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ।

ਨੰਬਰ 159-60 /50 ਆਰ. ਮਿਤੀ 15/1/2021

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ:-

1. ਕੋਰ ਮੈਂਬਰ ਆਫਿਸ, ਪੰਜਾਬੀ ਭਵਨ ਲਹਿਰ ਕੋਰ ਮੈਂਬਰ, ਚੰਡੀਗੜ੍ਹ
2. ਡਰਾਫਟਸਮੈਨ, ਫਰੀਦਕੋਟ ਨਹਿਰ ਸੈਕਸ਼ਨ, ਫਰੀਦਕੋਟ।

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਫਰੀਦਕੋਟ ਨਹਿਰੀ ਮੰਡਲ
ਫਰੀਦਕੋਟ।

Scanned with CamScanner

DIRECTORATE OF TOWN & COUNTRY PLANNING, PUNJAB

PUDA Bhawan, Block-'A', Sector 62, SAS NAGAR.

To

M/s. Sukhbir Agro Energy Ltd.,
Village: Sedha Singhwala,
Tehsil Jaito, Distt. Faridkot.

Memo No. 7709 - CTP(Pb)/ SP432 (FDK)
Dated: 17-12-18

Subject:- **Change of Land Use for Industrial purpose for M/s. Sukhbir Agro Energy Ltd. at Village: Sedha Singhwala, Tehsil Jaito, Distt. Faridkot (Area 24.259Acre).**

Reference: Your request dated Nil

2. Your request for change of land use for an area measuring 24.259Acre falling at **M/s. Sukhbir Agro Energy Ltd. at Village: Sedha Singhwala, Tehsil Jaito, Distt. Faridkot** for industrial purpose **(Bio-mass Power Project)** has been considered at Government level. The permission for change of land use **for Bio-mass Power Project** is hereby granted on the following terms and conditions. The detail of land as verified by **Tehsildar Jaito** is as under:-

Sr. No.	Khasra No. and area as per Jamabandi (Bigha-Biswa)	Area for CLU Permission.
1.	572/172(6-13), 173(16-0), 160 (15-11), 174/1(8-0), 161/1(7-8), 159/1(7-15.5), 205(16-0), 204(16-0), 203/1(8-0), 170(16-0), 171(16-0), 571/172(9-7), 214(7-11), 207(16-0), 206(16-0), 158/1/1(7-12), 614/141/1(2-16), 614/141/2/1(1-8) =194K-1.5M(24.259)	Permission granted for CLU 24.259 acre .

1) The Change of Land Use shall be in the hands of **M/s. Sukhbir Agro Energy Ltd.**
2) Applicant shall deposit CLU, EDC/ License/ Permission Fee and all other charges levied or to be levied by Housing and Urban Development Department from time to time.
3) Applicant shall get the building plans approved from the Competent Authority before carrying out development on site.
4) The issue of ownership of land is independent and exclusive of permission of Change of Land Use. Therefore, this permission of CLU does not in any manner grant or effect ownership right of this land which have to be determined by Competent Authority. The Applicant in whose hands this Change of Land Use lies shall be bound by the decision of such Competent Authority.
5) Applicant shall be responsible for any litigation, if any, regarding land in any court of law.
6) Thorough revenue rastas/khals and pucca roads if any, passing through the site shall be kept unobstructed.
7) Applicant shall obtain NOC from PPCB required under the Water (Prevention and Control of Pollution) Act, 1974, Municipal Solid Waste Management and Handling Rules, 2008 or any other relevant Act before undertaking any development at the site.
8) Applicant shall ensure the minimum distance from the nearby residential area, if any, as prescribed by PPCB, Deptt. of Environment or other Competent Authority in this regard and as per Notification dt. 25.7.2008 of the Deptt. of Science, Technology & Environment, Punjab.
9) Applicant shall not make any construction under HT/L.T. electric lines passing through the site or shall get these lines shifted by applying to the concerned authority.
10) This permission will not provide any immunity from any other Act/Rules/ Regulations applicable to the land in question.
11) Applicant shall obtain NOC from the Forest Department, under Forest Act, 1980 or any other relevant act before undertaking development at the site, since approach to site is through forest land.
12) Applicant shall make necessary arrangements for fire fighting as per NOC granted by the Competent Authority.
13) Applicant shall make provision for the disposal of rain/storm water of the proposed project and shall not obstruct the flow of rain/ storm water of the surrounding area.
14) Applicant shall make provision of rain water harvesting within the project area at its own cost.
15) Applicant shall make its own suitable provision for drinking water supply and disposal of sewage & solid waste management.

Scanned by CamScanner

Scanned with CamScanner

16) Applicant shall obtain any other permission required under any other Act at his own level.
17) Applicant shall abide by all the provisions of Master Plan, Jaito.
18) Applicant shall leave 12'- 6" wide strip of land to widen the approach road of 75'-0" wide to 100'-0" as per the undertaking submitted by him.
19) Applicant shall keep 2 Karam Khal intact in the site & shall not construct anything on it.
20) As per notification issued vide Memo No.PUDA/CA/2013/1713-16, dated 27.02.2013, the promoter shall not use underground water for construction of development works in the notified area. Applicant shall use surface water sources or treated sewage from nearby Sewage Treatment Plant.

C.L.U. charges for industries are exempted as per Notification No. 17/17/2001-5Hg2/P.F./ 7481681/17 dated 6th May, 2016 & EDC/L.F are exempted as per notification No.17/17/2001-5Hg2/PF/299539/1 dated 29.08.2014.

Chief Town Planner,
Punjab, Chandigarh.

Endst.No. 7710 CTP(Pb)/ SR432(FDK) Dated: 17/12/18

Copy is forwarded to the Chief Administrator, Bathinda Development Authority, Bathinda for information and necessary action.

Chief Town Planner,
Punjab, Chandigarh.

Endst.No. 7711 CTP(Pb)/ SR432(FDK) Dated: 17/12/18

A copy is forwarded to Chief Administrator, PUDA ,SAS Nagar for information and necessary action.

Chief Town Planner,
Punjab, Chandigarh.

Endst.No. 7712-16 CTP(Pb)/ SR432(FDK) Dated: 17/12/18

Copy is forwarded to the following for information and necessary action:-

1) Chairman Punjab Pollution Control Board, Patiala.
2) Chief Conservator of Forests, Punjab, Chandigarh.
3) Chairman,Punjab Energy Development Agency(PEDA), Punjab, Chandigarh.
4) Senior Town Planner, Ludhiana.
5) District Town Planner, Faridkot.

Chief Town Planner,
Punjab, Chandigarh.
'Sekhon'

Scanned by CamScanner

Scanned with CamScanner

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC - 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC137352530000221 2F-2214F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	19/03/2025
Analysis Date	:	19/03/2025 to 24/03/2025
Job Order No. & Date	:	**25300002212-2214 & 19/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Noise Sample
Type of Sample	:	Ambient Noise
Date & Time of Sample Collection	:	18/03/2025 & 10:42 am
Location / Source of Sample	:	**2212-Near main gate (Near to Major District Road-43)** **2213- Near Boiler** **2214- Near Clarifier**
Sample Quantity	:	01
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

A. Noise Level dB (A) Day Time

SN	Location/ Point of measurement	Noise Level dB (A) Day Time			Noise Levels (dB (A) Leq. (Limits) Day Time	Test Method (S)
		Min.	Max.	Average		
1.	Near Main Gate (Near to Major District Road-43)	54.5	58.7	56.6	75.0	IS :9989-1981
2.	Near Boiler	71.5	76.1	73.8		
3.	Near Clarifier	62.3	66.5	64.4		

B. Noise Level dB (A) Night Time

SN	Location/ Point of measurement	Noise Level dB (A) Night Time			Noise Levels (dB (A) Leq. (Limits) Night Time	Test Method (S)
		Min.	Max.	Average		
1.	Near Main Gate (Near to Major District Road-43)	46.7	58.9	52.8	70.0	IS :9989-1981
2.	Near Boiler	59.2	68.4	63.8		
3.	Near Clarifier	52.3	57.5	54.9		

dB (A) Leq: denotes the time weighted average of the level of sound in decibels on scale (A) which is relatable to human hearing.
****Leq:** It is energy mean of the noise level over the specified period.
Note: Day time shall mean from 6.00 A.M. to 10.00 P.M. Night time shall mean from 10.00 P.M. to 06.00 A.M.

----------End of the Report----------

24/03/2025

Authorized Signatory
Mr. Kailash Chandra Bhatt
Chemical Discipline

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount**. 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

Annexure - IV

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC - 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC137352510000041 8F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	18/03/2025
Analysis Date	:	18/03/2025 to 24/03/2025
Job Order No. & Date	:	**25100000418 & 18/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Surface Water Sample
Type of Sample	:	Surface Water Sample
Date & Time of Sample Collection	:	18/03/2025 & 05:05 pm
Location / Source of Sample	:	**Surface water from Canal**
Sample Quantity	:	5 Liter + 300 ml
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

S.N	Parameter(s)	Test Method	Results	CPCB Surface water quality standards				
				A	B	C	D	E
1.	Colour, Hazen	APHA 24th Edition (2120C): 2023	<1.0	10	300	300	-	-
2.	Odour	IS 3025 (Part 5): 2018	Agreeable	Unobj.	-	-	-	-
3.	Turbidity	IS 3025 (Part 10): 2023	2.45	-	-	-	-	-
4.	Total Dissolved Solids, mg/l	IS 3025 (Part16): 2023	204	500	-	1500	-	2100
5.	pH Value (at 25°C)	IS 3025 (Part 11): 2022	7.86	6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5	6.5-8.5
6.	Total Hardness (as CaCO3), mg/l	IS 3025 (Part 21): 2009	130	300	-	-	-	-
7.	Calcium (as Ca), mg/l	IS 3025 (Part 40): 1991	32	80.10	-	-	-	-
8.	Sulphate (as SO4), mg/l	IS 3025 (Part 24/Section 1): 2022	67.5	400	-	400	-	1000
9.	Nitrate, mg/l	IS 3025 (Part 34, Sec 1): 2023	2.3	20	-	50	-	-
10.	Fluoride (as F), mg/l	APHA 24th Edition (4500-F-D): 2023	0.15	1.5	1.5	1.5	-	-
11.	Chloride (as Cl), mg/l	IS 3025 (Part 32): 1988	4.9	250	-	600	-	600
12.	Total Alkalinity (as CaCO3), mg/l	IS 3025 (Part 23): 2023	75	-	-	-	-	-
13.	Taste	IS 3025 (Part 8): 2023	Agreeable	None	-	-	-	--
14.	Magnesium, mg/l	IS 3025 (Part 46): 2023	12.4	24.28	-	-	-	-
15.	Free residual chlorine, mg/l	IS 3025 (Part 26): 2021	<0.03	-	-	-	-	-
16.	Phenolic Compound, mg/l	IS 3025 (Part 43 Sec-1): 2022	<0.001	0.002	0.005	0.005	-	-
17.	Anionic Detergent as MBAS, mg/l	IS 3025 (Part 68): 2019	<0.1	0.2	1	1	-	-
18.	Aluminium, mg/l	IS:3025 (Part 55) 2003	<0.02	-	-	-	-	-
19.	Boron (as B), mg/l	IS 3025 (Part 57): 2021	<0.1	-	-	-	-	2
20.	Copper (as Cu), mg/l	IS 3025 (Part 42): 1992	<0.05	1.5	-	1.5	-	-
21.	Cyanide as CN, mg/l	IS 3025 (Part 27 Sec-1): 2021	<0.05	0.05	0.05	0.05	-	-
22.	Iron, mg/l	IS 3025 (Part 53): 2003	<0.1	0.3	-	50	-	-
23.	Lead (as Pb), mg/l	IS 3025 (Part 47): 1994	<0.01	0.1	-	0.1	-	-
24.	Manganese (as Mn), mg/l	IS 3025 (Part 59): 2023	<0.05	0.5	-	-	-	-
25.	Mercury as Hg, mg/l	IS 3025 (Part 48): 1994	<0.001	0.001	-	-	-	-
26.	Selenium as Se, mg/l	IS 3025 (Part 56): 2003	<0.01	0.01	-	0.05	-	-
27.	Total Arsenic (as As), mg/l	IS 3025 (Part 37): 2022	<0.01	0.05	0.2	0.2	-	-
28.	Total Chromium , mg/l	IS 3025 (Part 52) 2003	<0.05	0.05	0.05	0.05	-	-
29.	Zinc (as Zn), mg/l	IS 3025 (Part 49): 1994	0.24	15	-	15	-	-
Biological Parameters								
1.	E. coli, cfu/250 ml	IS 15185: 2016	<1.0 (Absent)	-	-	-	-	-
2.	Total Coliform, cfu/250 ml	IS 15185: 2016	<1.0 (Absent)	-	-	-	-	-

Note: **A**= Drinking water source without conventional treatment but after disinfection, **B**= Outdoor bathing (Organized), **C**= Drinking water sources after conventional treatment and disinfection, **D**= Propagation of wildlife and fisheries, **E**= Irrigation industrial cooling controlled waste disposal

----------End of the report--------

Authorized Signatory
Dr. Uma Shanker Sain
Chemical & Biological Discipline

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount**. 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

Annexure - V

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC - 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC137352520000800F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	18/03/2025
Analysis Date	:	18/03/2025 to 24/03/2025
Job Order No. & Date	:	**25200000800 & 18/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Sewage Sample
Type of Sample	:	Waste Water Sample
Date & Time of Sample Collection	:	18/03/2025 & 04:45 pm
Location / Source of Sample	:	STP Outlet
Sample Quantity	:	5+2 Liter
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

S.N.	Parameter(s)	Results	Regulatory Standard	Test Method (S)
			C- On land for Irrigation	
1.	pH value at 25°C	8.3	5.5-9.0	IS: 3025 (Part-11)2022
2.	Total Suspended Solids at 105°C, mg/l	22	200	IS: 3025 (Part-17) 2022
3.	Total Dissolved Solid (TDS at 180°C) ,mg/l	388	--	IS: 3025 (Part 16) 2023
4.	Biochemical Oxygen Demand(3 days at 27°C),mg/l	5.0	100	IS: 3025 (Part-44) 2023
5.	Chemical Oxygen Demand (COD),mg/l	20	--	IS: 3025 (Part-58) 2023
6.	Oil and Grease ,mg/l	<4.0	10	IS: 3025 (Part-39) 2021

Note - Schedule VI, General standard for discharge of environmental pollutant Part A- Effluent , Discharge limit for Land for irrigation

----------End of the report---------

Chemical Discipline
Authorized Signatory
Dr. Uma Shanker Sain

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount.** 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

Annexure - VI
































CANTEEN

Annexure - VII

Environment Audit Report

&

Environmental Statement

F.Y. 2023-24

SAEL

SUSTAINABLE & AFFORDABLE ENERGY FOR LIFE



SAEL Limited

(Previously known as Sukhbir Agro Energy Limited)

Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot-151205, Punjab

Prepared By:

Er. R.K. Gupta

Senior Environmental Engineer (Retd.)

CHARTERED ENGINEER

Punjab Pollution Control Board

Mob. 99147-67267, 98789-50510

E-mail: - gupta1958rk@gmail.com

R4 ENVIRO

ENVIRONMENTAL CONSULTANTS

#7, Sukh Enclave, New Officers Colony

Patiala (Punjab) – 147001

Mob: - 98145-39397, 01755 202 707

E-mail: - info@r4enviro.com

ACKNOWLEDGEMENT

First of all I am grateful to the management of M/s SAEL Limited (Previously known as Sukhbir Agro Energy Limited)for providing us an opportunity to be a part of it by assigning the job regarding preparation of Environment Audit Report &Environmental Statement for the financial year 2023-24.

I wish to express my sincere thanks to Sh. Anant Mishra, Chief Operating Officer for his constant support, encouragement and for providing necessary inputs.

I am also grateful to Mr. Ambuj Mishra, Vice President (ESG & S) and Mr. Bharat Bhushan Mahajan, DGM (EHS & S) for their coordination in conducting the Environmental Audit.

I place on record, my sincere gratitude to Sh. Karamjit Singh, Plant Head & Sh. Kamalpreet Sharma, Manager (EHS & S) for providing necessary documents, technical support & visit to the industry.

I take this opportunity to record my sincere thanks to all the team members of R4 Enviro Pvt. Ltd., Environmental Consultants for helping me for analysing the data, typing and preparation of the report with their best efforts.



Er. R.K. Gupta
Senior Environmental Engineer (Retd.)
CHARTERED ENGINEER (PPCB)
Managing Director
R4 Enviro Private Limited
Environmental Consultants

INDEX

Chapter No.	Contents	Page No.
1.	Introduction	1 – 5
2.	Objective of Environmental Statement	6
3.	Manufacturing Process	7 – 9
4.	Water Requirement	10 – 12
5.	Water Pollution Generation & its Management	13 – 14
6.	Air Pollution Generation & its Management	15
7.	Hazardous Waste Generation & its Management	16 – 19
8.	Solid Waste Generation & its Management	20 – 48
9.	Statutory Permissions	49 – 69
10.	Compliance of Environmental Standards	70 – 72
11.	Form V – Environmental Statement	73 – 84

Chapter – 1

INTRODUCTION

1.1 OVERVIEW

Environmental regulations are becoming increasingly complex and costly for both private and public sector regulated entities as rapid industrialization and urbanization has caused environment degradation of varied nature. Degradation of Environment poses great threat to eco-system and general health of public. There is need to take effective steps by an individual entrepreneur to arrest environment degradation. Federal agencies, however, differ from the private sector in how they must comply with those regulations. Thus, Federal agencies are being asked to do more with less -- comply with all applicable environmental regulations while utilizing fewer resources to accomplish the goal of full compliance. An environmental audit is one tool that an industry can use to comply with the regulations, as well as to improve the efficiency of operations and conserve limited fiscal and labour resources. A number of factors must be considered when designing and implementing an environmental audit program. In developing an effective audit program, an agency environmental manager must always remain aware that:

(1) the audit program should complement and contribute to the company mission

(2) securing funding for the audit program and the implementation of audit findings must be an integral part of the agency budgeting process.

1.2 EPA'S 1986 ENVIRONMENTAL AUDIT POLICY

The U.S. Environmental Protection Agency (EPA) recognizes that environmental auditing -- and sound environmental management generally -- can provide potentially powerful tools toward protection of public health and the environment. In encouraging the use of these tools, EPA has announced the "Environmental Auditing Policy Statement" on July 9, 1986(51 FR 25004) (1986 audit policy) and the "Incentives for Self-Policing: Discovery,

Disclosure,Correction and Prevention of Violations" on December 22, 1995 (60 FR 66706) (1995 or final audit or self-policing policy).

The 1986 audit policy states that "it is EPA policy to encourage the use of environmental auditing by regulated industries to help, achieve and maintain compliance with environmental laws and regulation, as well as to help identify and correct unregulated environmental hazards." The policy also specifically endorses environmental auditing at federal facilities.

In the 1986 policy, EPA defines environmental auditing as "a systematic, documented, periodic, and objective review of facility operations and practices related to meeting environmental requirements."

The policy identifies several objectives for environmental audits: -

- Verifying compliance with environmental requirements
- Evaluating the effectiveness of in-place environmental management systems; and
- Assessing risks from regulated and unregulated materials and practices.

1.3 DEFINITION - ENVIRONMENTAL AUDIT

The environmental audit is a management tool consisting of a systematic, documented, periodic and objective evaluation of environmental performance, management systems and equipment with the aim of firstly, facilitating management control of environmental practices and secondly, assessing compliance with an operation's or activity's environmental policies, including meeting regulatory requirements. Examples include:

- internal auditing of systems and procedures for measuring, recording and reporting performance data
- independent validation of systems and procedures for measuring, recording, and reporting performance data
- Independent evaluations and commentaries by external experts regarding an organisation's economic, environmental, and social performance and/or management processes.

1.4 ENVIRONMENTAL AUDITING – BACKGROUND

There is increasing need for companies to demonstrate good environmental management practice to a wide range of interested parties. ISO 14001 and the EU's voluntary Eco-Management and Audit Scheme [EMAS] require that participating organisations have their environmental performance measured and verified.

Environmental auditing is not a legal requirement under any specific law or regulation. Rather, it is a proactive management tool that is used to consciously identify environmental problems before they occur in order to take preventative measures. Environmental auditing is an internal management tool for use by an organization or activity in carrying out its environmental management responsibilities.

Auditing is a long-established tool commonly used to evaluate and monitor financial and production performance.In recent years, the audit tool has been adapted to workplace environmental programs, systems and practices to evaluate their effectiveness and to identify deficiencies that require corrective action.

Auditing all or part of that system can measure the performance of a company's environmental management system. The results of such audits can assist companies in demonstrating their commitment to continuously improving their environmental performance. Full commitment from senior company management is essential if the audit process is to be a success. This commitment requires an involvement and interest in the whole audit process.The environmental audit is a voluntary action which can be undertaken by the manager of an organization or activity or by a third party and which serves as an instrument for managing and monitoring the environment.

1.5 WHY ENVIRONMENTAL AUDIT IS REQUIRED ?

An environmental audit can provide valuable information to help a company to meet the agreed standards of environmental performance (which should be defined in company policy) and stay ahead of the requirements placed on them by law.

The possible functions and benefits of an environmental audit are:

Management

- Demonstrate a visible commitment to improving an organisation's environmental performance.
- Use as a basis for the development of environmental management policies or efforts to improve existing plans.
- Identify environmental risks, impacts and review of management controls and systems and associated liabilities, liabilities and risks from past and present activities of the site or surroundings and implementation of recommendations.
- Review process and plant operating procedures or activity's current environmental standards of operation and company environmental management procedures, including emergency response planning, monitoring and reporting systems and planning for future changes in Processes or Regulations.
- Increasing actions undertaken or needing to be undertaken by an organization or activity to meet environmental goals such as sustainable development, Responsible Care®, recycling and efficient use of resources.

Financial

- Prevention of financial losses: through remediation or the closure of an organization or activity; government restrictions or negative publicity caused by bad management or monitoring of the environment.
- Fair assessment of financial implications of environmental issues, liabilities and impact of new regulations.
- Highlight where costs can be saved (e.g. through energy conservation or minimisation, improved use of raw materials, process changes, waste reduction, reuse and recycling etc).

Legal

- To measure and improve an organization's or activity's compliance with environmental legislation and regulations such as operating permits, air emission standards, effluent standards, waste management standards, transport regulations, etc.,thus avoiding legal sanctions against an organization or activity or its management under prevailing laws and regulations.
- Provision of evidence of the implementation of environmental management in court if requested.

Training

- To facilitate the sharing of best environmental practices and increase in the awareness of the management and staff of an organization regarding environmental policies and responsibilities.
- Assessment of training, knowledge and awareness of employees.

Reporting

- Provision of an environmental audit report for use by an organization, or activity in dealings with environmental groups, government and the mass media.
- Provision of information required by insurance companies, financial institutions, shareholders and other stakeholders.

It is also important to recognise the limitations of the audit process when deciding to conduct an environmental audit. The following points may be helpful to remember in this respect:

- An audit should not be used as a chance to tell the audited unit how to do their job
- It is not a technical investigation in itself (although can be used in support).
- It should not be used to provide a public statement of performance (although it may be used to back up and support any such statements made).

Chapter – 2

OBJECTIVE OF ENVIRONMENTAL STATEMENT

The Ministry of Environment, Forests & Climate Change (MOEF & CC) Govt. of India vide notification no. G.S.R. 329 (E) dated 13.03.1992 and G.S.R. 386 (E) dated 22.04.1993 made some amendments in the Environment (Protection) Rules, 1986 framed under Environment (Protection) Act, 1986.

Rule 14 of the above stated EPA rules reads as under: -

"Every person carrying on an industry, operation or process requiring consent under section 25 of the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974) or under section 21 of the Air (Prevention and Control of Pollution) Act, 1981 (14 of 1981) or both or authorization under the Hazardous Wastes (Management and Handling) Rules, 1989 issued under the Environment (Protection) Act, 1986 (29 of 1986) shall submit an environmental statement for the financial year ending the 31st March in Form V to the concerned State Pollution Control Board on or before the thirtieth day of September every year, beginning 1993."

According to the said rule, each and every industryis required to submit Environmental Statement by 30th September every year for the preceding financial year ending 31st March.

M/s SAEL Limited has engaged the services of Er. R.K. Gupta, Former S.E.E., Punjab Pollution Control Board and has been recognised as Chartered Engineer by the PPCB. The Consultant is Managing Director of M/s R4 Enviro Pvt. Ltd., Environmental Consultants who has engaged by the industry for preparing the Environmental Statement of the industry for the financial year 2023-24. The Environment Audit Report & Environmental Statement has been prepared basedon data/information supplied by the industry in compliance to the provisions of the EPA, Rules 1986 as amended to date.

Chapter – 3

MANUFACTURING PROCESS

ABOUT THE INDUSTRY

M/s SAEL Limited has Biomass based Thermal Power Plant with capacity of 18 MWH at Village Sedha Singh Wala, Tehsil-Jaitu, District- Faridkot Punjab. Paddy Straw is used as Raw material for this project. This project is purely independent and not interlinked with any project.

Sukhbir Agro Energy Limited, now known as SAEL Limited, was established with a vision to contribute significantly to the renewable energy sector in India. Headquartered in Delhi, the company focuses on the production of renewable energy through biomass and other sustainable sources. Initially recognized for its pioneering efforts in biomass power generation, SAEL Limited expanded its operations to include various renewable energy projects across the country. The company has played a crucial role in promoting environmental sustainability while contributing to India's energy security goals.

M/s SAEL Limited has more than 30 Year experience in agriculture & agro based industries. The Company was incorporated in 1999 as a Private Limited Company and in 2006 reconstituted as a Limited Company. The first Venture of the group was setting up of Rice mill in 1977.The major expansion and diversification was carried out during 2006 by setting up an integrated Food processing unit and 15 MW biomass-based power plant at Fatehullapur, Ghazipur, UP & 14.5 MW at Channu, near Bhatinda, Punjab.

Electricity known to be vital utility & stimulating the economic development of the nation. India has witnessed significant growth in power generation sector. However, the demand has escalated so high in spite of high generation. The thermal power always has major component among the different type of power generation in India.

Renewable energy sector in India has emerged as a significant player in the grid connected power generation capacity. It supports the government agenda of sustainable growth, while, emerging as an integral part of the solution to meet the nation's energy needs and an essential player for energy access. It has been realized that renewable energy has to play a much deeper role in achieving energy security in the years ahead and be an integral part of the energy planning process.

The Biomass Based Thermal Power Project has generated employment in the surroundings for the local people during the construction as well as during operation period. Unskilled/semi-skilled manpower related to industrial activities are drawn locally or from nearby places. Preference during recruitment is given to the people of surrounding areas according to their qualification and experience. Apart from direct employment, indirect employment opportunity in term of transport operation, repair garages, various ancillaries, shops & market etc. has been generated.

The industry is engaged in the manufacturing ofElectricity / Electric Power for which the industry has installed plant of capacity 18 MWH. The industry has manufactured Electricity @ 13,30,06,800 KWH i.e. 1,33,006.800 MWH during the financial year 2022-23 and Electricity @ 14,99,45,800 KWH i.e. 1,49,945.800 MWH during the financial year 2023-24. The raw material used by the industry is Biomass (Paddy Straw / Paddy Bales). The raw material used by the industry during the financial year 2022-23 is Paddy Bales @ 156307.91 MT and during the financial year 2023-24 is 181389.56 MT.

The Manufacturing Process Flow Chart of the industry are as per figure. 3.1.




Fig. 3.1 - Process Flow Diagram of Industry

Chapter – 4

WATER REQUIREMENT

The industry has a fresh water requirement for Boiler Feed, Cooling Towers and for the Domestic use. The industry is having Canal Water supply from Abohar Canal through Raunta Rajwaha which is about 1.3 KM from the industry. The industry has installed reservoir of size 225m x 75m x 8.0m meter of capacity 1,35,000 M^3.

- The total fresh water Consumption of the industry during the financial year 2022-23 was 4,42,895 KL i.e. 1213.4 KLD and total fresh water consumption during the financial year 2023-24 was 5,06,790 KL i.e. 1388.5 KLD.


- The industry is maintaining record of total consumption of water in the industry. Electromagnetic flow water meters have been installed. Water meter readings are recorded on daily basis.

- The industry is also maintaining record of consumption of water for every activity.

- The industry has obtained the permission from the Irrigation Department vide letter no. 99/50-R/Faridkot dated 08.01.2021. The copy of the permission granted to the industry is enclosed herewith as per **Annexure – 4.1**.

- The industry is using the canal water in the process after treatment through clarifier and then through RO system and treatment in DM Plant.

Annexure – 4.1



ਨੰਬਰ 991 /50-ਆਰ/ਫ਼ਰੀਦਕੋਟ ਮਿਤੀ 8/1/2021

ਵੱਲੋਂ

ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ।

ਮੈ: ਲੇਖਾ ਅਫ਼ਸਰ/ਮੁ: ਖ਼ਜ਼ਾਨਚੀ
ਸਬ ਡਵੀਜ਼ਨ/ਬ੍ਰਾਂਚ/ਸੁਪਰਡੈਂਟ
ਸਾਰੀ ਦੇ 50 ਬੋਸ ਨੂੰ
ਮਿਤੀ 14-1-2021

ਕਾਰਜਸ਼ਾਰੀ ਇੰਜੀਨੀਅਰ

ਵੱਲ

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਫ਼ਰੀਦਕੋਟ ਨਹਿਰ ਮੰਡਲ
ਫ਼ਰੀਦਕੋਟ।

ਵਿਸ਼ਾ :- **Request for Installing water flow meter and reduce the bulk supply permission.**


ਹਵਾਲਾ :- ਆਪ ਦਾ ਪੱਤਰ ਨੰਬਰ 1426/50-ਆਰ ਮਿਤੀ 23/11/2020

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਵਿੱਚ ਆਪ ਵੱਲੋਂ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਰਾਹੀਂ ਕੀਤੀ ਗਈ ਸਿਫਾਰਸ਼ ਦੇ ਅਧਾਰ ਤੇ ਸੁਖਵੀਰ ਐਨਰਜੀ ਲਿਮਟਿਡ, ਸੇਵਾ ਸਿੰਘ ਵਾਲਾ ਨੂੰ ਪਾਣੀ ਦਾ ਡਿਸਚਾਰਜ 2.21 ਕਿਊਸਿਕ ਤੋਂ ਘਟਾ ਕੇ 1.70 ਕਿਊਸਿਕ ਰੋਤਾ ਰਜਵਾਹਾ ਦੀ ਬੁਰਜੀ 134000-ਆਰ ਤੋਂ ਕੰਟਰੈਕਟ ਬੇਸਿਜ਼ ਦੇ ਅਧਾਰ ਤੇ ਦੇਣ ਦੀ ਮੰਨਜੂਰੀ ਇੱਕ ਸਾਲ ਲਈ ਅਧੀਨ ਰੂਲ ਪੀ.ਐਫ.ਆਰ. ਵਾਲਯੂਮ-1 ਪਾਰਟ-1 ਦੇ ਲੜੀ ਨੰਬਰ 23 ਰੂਲ 19.7 ਦੇ ਤਹਿਤ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ। ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਨੋਟੀਫਿਕੇਸ਼ਨ ਨੰਬਰ 10/110/2012-ਵਿਤ:(2)88/1 ਮਿਤੀ 23/01/2020 ਨਵੇਂ ਰੇਟਾਂ ਅਨੁਸਾਰ ਕੈਲਕੂਲੇਸ਼ਨ ਸ਼ੀਟ ਤਿਆਰ ਕਰਕੇ ਜੋ ਇੱਕ ਸਾਲ ਲਈ, ਕੀਮਤ ਬਣੇਗੀ ਉਹ ਵਸੂਲਕੇ ਹੀ ਮੋਘਾ ਲਗਾਇਆ ਜਾਵੇ ਅਤੇ ਸਬੂਤ ਵਜੋ ਕੈਲਕੂਲੇਸ਼ਨ ਸ਼ੀਟ ਅਤੇ ਰਸੀਦ ਦੀ ਫੋਟੋ ਕਾਪੀ ਬਿਨ੍ਹਾ ਕਿਸੇ ਦੇਰੀ ਭੇਜੀ ਜਾਵੇ।

ਪਾਣੀ ਦੀ ਮੰਨਜੂਰੀ ਹੇਠ ਲਿਖੀਆਂ ਸ਼ਰਤਾਂ ਦੇ ਅਧਾਰ ਤੇ ਦਿੱਤੀ ਜਾਂਦੀ ਹੈ ਕਿ:-

1) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕਰਨ ਨਾਲ ਚੈਨਲ ਦੀਆਂ ਟੇਲਾਂ ਉਪਰ ਕੋਈ ਮਾੜਾ ਅਸਰ ਨਹੀਂ ਪਵੇਗਾ।
2) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕੰਟਰੈਕਟ ਮੀਟਰਿੰਗ ਖਤਮ ਹੋਣ ਉਪਰੰਤ ਬੰਦ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ।
3) ਕੰਟਰੈਕਟ ਉਦੋਂ ਤੱਕ ਮੰਨਿਆ ਜਾਵੇਗਾ, ਜਦੋ ਤੱਕ ਸਬੰਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਐਡਵਾਂਸ ਰਕਮ ਮਹਿਕਮੇ ਕੋਲ ਜਮ੍ਹਾਂ ਕਰਵਾ ਦਿੱਤੀ ਜਾਵੇਗੀ। ਜੇਕਰ ਐਡਵਾਂਸ ਰਕਮ ਇੱਕ ਸਾਲ ਲਈ ਜਮ੍ਹਾਂ ਕਰਵਾਈ ਜਾਵੇਗੀ ਤਾਂ ਕੰਟਰੈਕਟ ਇੱਕ ਸਾਲ ਲਈ ਮੰਨਿਆ ਜਾਵੇਗਾ। ਇਸ ਨੂੰ ਉਦੋਂ ਹੀ ਅੱਗੇ ਤੱਕ ਵਧਾਇਆ ਜਾ ਸਕਦਾ ਹੈ, ਜੇਕਰ ਐਡਵਾਂਸ ਪੈਸੇ ਸੰਬਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਮਹਿਕਮਾ ਨਹਿਰ ਪਾਸ ਜਮ੍ਹਾਂ ਕਰਵਾਏ ਜਾਣਗੇ।
4) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੀ ਰਕਮ ਐਡਵਾਂਸ ਜਮ੍ਹਾਂ ਨਾ ਕਰਵਾਉਣ ਦੀ ਸੂਰਤ ਵਿੱਚ ਸਪਲਾਈ ਬੰਦ ਕਰ ਦਿੱਤੀ ਜਾਵੇਗੀ।
5) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਸਰਕਾਰ ਵੱਲੋਂ ਸਮੇਂ-ਸਮੇਂ ਤੇ ਰੇਟਾਂ ਵਿੱਚ ਹੋਈ ਤਬਦੀਲੀ ਦੇ ਅਧਾਰ ਤੇ ਹੋਵੇਗੀ।
6) ਅਦਾਰੇ ਵੱਲੋਂ ਪਾਣੀ ਮੋਘੇ ਤੋਂ ਲਿਆਉਣ ਦਾ ਆਪਣਾ ਬੰਦੋਬਸਤ ਹੋਵੇਗਾ। ਮਹਿਕਮੇ ਦੀ ਇਸ ਸਬੰਧੀ ਕੋਈ ਜਿੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।
7) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਨਹਿਰ ਦੇ ਚੱਲਣ ਦੇ ਨਿਰਭਰ ਕਰਦੀ ਹੈ, ਕਿਉਂਕਿ ਨਹਿਰੀ ਰੋਟੇਸ਼ਨ ਦੇ ਅਧਾਰ ਤੇ ਚੱਲਦੀ ਹੈ।

Scanned with CamScanner



8) ਨਹਿਰ ਦੀ ਬੰਦੀ ਸਮੇਂ ਅਦਾਰੇ ਨੂੰ ਪਾਣੀ ਦਾ ਪ੍ਰਬੰਧ ਖੁੱਦ ਕਰਨਾ ਪਵੇਗਾ। ਨਹਿਰ ਦੀ ਬੰਦੀ ਦੌਰਾਨ ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਕਰਨ ਦੀ ਕੋਈ ਜਿੰਮੇਵਾਰੀ ਮਹਿਕਮੇ ਦੀ ਨਹੀਂ ਹੋਵੇਗੀ।

9) ਚੈਨਲ ਦੀ ਸੁਰੱਖਿਆ ਨੂੰ ਮੁੱਖ ਰੱਖਦੇ ਹੋਏ ਮੌਕੇ ਦੀ ਉਸਾਰੀ ਤੇ ਆਉਣ ਵਾਲਾ ਖਰਚਾ ਸਬੰਧਤ ਅਦਾਰੇ ਵੱਲੋਂ ਜਮ੍ਹਾਂ ਕਰਵਾਉਣ ਉਪਰੰਤ ਇਸ ਦੀ ਉਸਾਰੀ ਮਹਿਕਮਾ ਨਹਿਰ ਵੱਲੋਂ ਹੋਵੇਗੀ।

10) ਜੇਕਰ ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੇਣ ਕਰਕੇ ਚੈਨਲ/ਮਾਈਨਰ ਦਾ ਕੋਈ ਨੁਕਸਾਨ ਹੁੰਦਾ ਹੈ ਤਾਂ ਉਸ ਦੀ ਮੁਰੰਮਤ ਆਦਿ ਤੇ ਆਉਣ ਵਾਲਾ ਖਰਚਾ ਸਬੰਧਤ ਅਦਾਰਾ ਕਰੇਗਾ।

11) ਪਾਣੀ ਦੀ ਸਪਲਾਈ ਦੀ ਮੰਨਜੂਰੀ ਕਿਸੇ ਸਮੇਂ ਵੀ ਰੱਦ ਕਰਨ ਲਈ ਮਹਿਕਮਾ ਜਲ ਸਰੋਤ ਕੋਲ ਹੱਕ ਰਾਖਦਾ ਰਹੇਗਾ।

ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ

ਨੱਥੀ/ਕੈਲਕੂਲੇਸ਼ਨ ਸ਼ੀਟ

ਨੰਬਰ /50-ਆਰ/ਫਰੀਦਕੋਟ ਮਿਤੀ /2021

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ :-

1) ਏ.ਜੀ. ਪੰਜਾਬ, ਚੰਡੀਗੜ੍ਹ।
2) ਹਲਕਾ ਹੈਡ ਡਰਾਫਟਸਮੈਨ, ਸਰਹੰਦ ਨਹਿਰ ਹਲਕਾ, ਲੁਧਿਆਣਾ।

ਨਿਗਰਾਨ ਇੰਜੀਨੀਅਰ
ਸਰਹੰਦ ਨਹਿਰ ਸਰਕਲ
ਲੁਧਿਆਣਾ।

ਨੰਬਰ 159-60/50 ਆਰ। ਮਿਤੀ 15/1/2021

ਉਪਰੋਕਤ ਦਾ ਉਤਾਰਾ ਹੇਠ ਲਿਖਿਆ ਨੂੰ ਸੂਚਨਾ ਅਤੇ ਲੋੜੀਂਦੀ ਕਾਰਵਾਈ ਲਈ ਭੇਜਿਆ ਜਾਂਦਾ ਹੈ:-

1. ਕੋਚ ਮੈਨੇਜਰ ਆਫਿਸ, ਪੀਲੀਭੀਤ ਹਾਊਸ ਕੋਚ ਮੈਨੇਜਰ, ਚੰਡੀਗੜ੍ਹ
2. ਡਰਾਫਟਸਮੈਨ, ਫਰੀਦਕੋਟ ਹੈਡ ਡਰਾਫਟਸਮੈਨ, ਫਰੀਦਕੋਟ।

ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ
ਫਰੀਦਕੋਟ ਨਹਿਰੀ ਮੰਡਲ
ਫਰੀਦਕੋਟ।

Scanned with CamScanner

Chapter – 5

WATER POLLUTION GENERATION & ITS MANAGEMENT

The effluent from Process section which includes Boiler Blow Down, reject from DM Plant and domestic effluent. The boiler blow down is taken into water reservoir, the reject from DM plant is used for plantation in the industry after pH correction in a tank. The industry generated domestic effluent @ 6.5 KLD on an average basis during the F.Y. 2023-24. The domestic effluent is used for plantation inside the industry after treatment in Sewage Treatment Plant (STP).

SEWAGE TREATMENT PLANT (STP)

The Sewage Treatment Plant (STP) installed by the industry for treatment of domestic effluent is based on biological treatment. The capacity of the Sewage Treatment Plant (STP) installed by the industry is 50 KLD.

The components of the Sewage Treatment Plant (STP) which have been installed are as under: -

1. Bar Screen
2. Oil & Grease Trap
3. Collection Tank
4. Aeration Tank
5. Anoxic Reactor
6. MBBR-1 & MBBR-2
7. Clarifier / Settler
8. MGF & ACF
9. Sludge Drying Beds




Fig: - 5.1 – Drawing of STP installed by the Industry

Chapter – 6

AIR POLLUTION GENERATION – ITS MANAGEMENT

The industry has installed 01 no. boiler of capacity 80 TPH for steam generation. In the boiler, paddy straw is used as fuel in the boiler furnace. The boiler was in operation during visit. Paddy straw @ 490 T/day (on average basis) is used as fuel in the boiler furnace. The boiler is provided with Electrostatic precipitator (ESP) as Air Pollution Control Device (APCD). The emissions are discharged through stack of 70.75 meter above ground level.

The industry has also installed 01 no. D.G. set of capacity 500 KVA. The D.G. set is provided with canopy. HSD is used as fuel in the D.G. set. The industry has provided adequate stack height of 4.5 meter above shed roof.

The industry is getting stack monitoring done from Board's Lab / NABL Accredited Laboratories.

Chapter – 7

HAZARDOUS WASTEGENERATION & ITS MANAGEMENT

HAZARDOUS WASTE & DISPOSAL

The industry has been granted authorization forgeneration, storage and disposal of hazardous wastes under the Hazardous& Other Wastes (Management& Transboundary Movement) Rules, 2016 by Punjab Pollution Control Board. Detail is as follows: -

(a)	Number of Authorization	**HWM/Fresh/FDK/2023/20375725**
(b)	Date of Issue	18/01/2023
(c)	Date of Expiry	31/03/2027
(d)	Category of Hazardous Wastes	– 5.1 Used/Spent Oil (Schedule-I) @0.08 KL/Annum
(e)	Scale of Industry	Large Scale

The industry has made agreement waste with the Authorized Recycler M/s Aggarwal Manufacturing Co. Friend's Industrial Estate opp. Aarti Steel, Plot no. 10, Focal Point, Ludhiana-141010 for the disposal of hazardous waste category 5.1 i.e. used / spent oil generated from the industry. The copy of the same is as per **Annexure – 7.1**.

Annexure – 7.1



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB81390213311021W
Certificate Issued Date	:	21-Nov-2024 10:59 AM
Certificate Issued By	:	pbmamtrnu
Account Reference	:	NEWIMPACC (SV)/ pb7064704/ LUDHIANA/ PB-LD
Unique Doc. Reference	:	SUBIN-PBPB70647046198348620900 6W
Purchased by	:	Vikas Kumar Aggarwal
Description of Document	:	Article 5 Agreement or Memorandum of an Agreement
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	AGGARWAL MANUFACTRUING CO
Second Party	:	Not Applicable
Stamp Duty Paid By	:	AGGARWAL MANUFACTRUING CO
Stamp Duty Amount(Rs.)	:	100 (One Hundred only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	100 (One Hundred only)

AGGARWAL MFG CO. APPROVED BY PPCB LUDHIANA

HARMINDER SINGH PB7064704 LUDHIANA

Please write or type below this line


MEMBERSHIP AND WASTE OFFTAKE AGREEMENT

THIS MEMBERSHIP AND WASTE OFFTAKE AGREEMENT (hereinafter referred as "the agreement") made on 21th DAY OF NOVEMBER 2024

M/s. AGGARWAL MFG CO., Friend's Industrial Estate Opp. Aarti Steel, Plot No 10, Focal Point, Ludhiana-141 010 a partnership firm owned by Sh. Vikas Kumar hereinafter referred to as the 'recycler' (Authorsation Number HWM/FRESH/LDH 1/2024/24739138 Issue date 06-02-2024 valid up to 30-06-2028) which expression shall, unless repugnant to the context or meaning thereof, mean and include its successors and assigns represented by prop.

QE 0020922818

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.



AGGARWAL MFG CO. APPROVED BY PSPCB & PPCB Auth. Sign LUDHIANA

E-STAMP PAPER NO- QE 0020922818

AND

M/S: SAEL LIMITED. A firm having its Office AT-VILLAGE SEDHA SINGH WALA,THE-JAITU DISTT-FARIDKOT (PB) INDIA herein after referred to as the "generator" which expression shall unless repugnant to the conm text or meaning thereof, mean and include its successors and permitted assigns PPCB represented by Wide Authorized Letter.
(Recyclers and generator may be hereinafter individually referred to as 'Party' and collectively as 'parties'

WHEREAS

1. **The generator desires to get its hazardous waste (ACCORDING TO CATEGORY NO SCHEDULE I 5.1 USED OR SPENT OIL) being generated at their production unit(s) mentioned above as their valid authorization from *PUNJAB POLLUTION CONTROL BOARD.* to be collected transported, treated, stored and disposed of by recycle, to which recycler has agreed, on the terms and conditions in this agreement.**

2. **The recycler has been registered by central pollution board. (Ministry of environmental and forests govt. of India) vide REGISTRATION No.REG/LDH-1/2024-28/F-26, DATE OF ISSUE: 06/02/2024, DATE OF EXPIRY: 30/06/2028 as recycler. The recyclers has been authorized by Punjab pollution control board by authorization No: *HWM/Fresh/LDH1/2024/24739138* dated :06-02-2024 to 30-06-2028**

3. **The generator will allow lifting of the hazardous waste (ACCORDING TO CATEGORY NO SCHEDULE I 5.1 USED OR SPENT OIL) only to recycler and not to any other vendor. However, no transportation cost shall be charged by recycler from generator.**

4. **The generator shall provide all hazardous waste to the recycler as per the rules upon receipt of the hazardous waste, the recycler shall determine if the details of hazardous waste as provided by generator accurately describes the waste or it has any discrepancy in weight piece count (for batch or containerized waste shipment, one container per truck load), or waste type are considered significant and should be noted on all copies of the details at the time of signature. The recycler shall try to reconcile the discrepancy with generator promptly. Any discrepancy not resolved within 15 days of waste receipt shall be reported by the recycler to PPCB with an explanatory letter and a copy of the manifest.KM**

5. **The generator shall not allow to lift the hazardous waste to any other person agency. In case generator allow the lifting of the hazardous waste to any person other than the recycler then the present agreement shall be CANCELLED.**

6. **The recycler shall collect the hazardous waste from the premises of the generator**

Aggarwal Manufacturing Co.
Plot No.-10,Friends Industrial Estate,
Opp.Atul Petrol Pump,
LUDHIANA-141010 PUNJAB

E-STAMP PAPER NO- QE 0020922818

AGGARWAL MFG CO. APPORVED BY PPCB & PPCB Auth. Sign. LUDHIANA

PACKING AND LABELLING:

7. **The generator shall ensure that the hazardous waste is packed in a manner which enables it suitable for storage and transporter and the labelling and packaging shall be easily visible and be able to withstand physical conditions and climate factors. Such packaging and labelling should be in full compliance of the rules.**
8. **In the event of false information to the recycler of any nature, all associated direct and indirect liabilities are the responsibility of the generator.**
9. **The recycler shall not accept hazardous waste of any type and variety for which it does not have the requisite authorization or capacity.**
10. **This agreement shall remain in force only from 21th DAY OF NOV 2024 TILL 20th DAY OF NOV 2025.**
11. **In the event any change and/or revision is made in the operating conditions financial implementation, etc. by or on the behest of a statutory authority, the same will be binding on the parties to this agreement.**
12. **This agreement may be modified or amended only by writing, duly executed by or on behalf of the parties to this agreement.**
13. **A person lifting the drum should have an authorization letter.**
14. **Recycler is solely and fully responsible to recycle the waste by fulfilling all by laws as prescribed in PPCB guidelines for recycling of this hazardous waste category.**

IN WITNESS WHEREOF the parties hereto have executed this agreement the day and year first hereinabove written.

For AGGARWAL MFG CO
For Aggarwal Manufacturing Co.
Auth. Sign.
Authorized Signatory

AGGARWAL MFG CO. APPORVED BY PPCB & PPCB Auth. Sign. LUDHIANA

Witness
Signature Iqbal Aggarwal
Name: Iqbal Aggarwal
Address: 56 Ashok Vihar Ludhiana
Aggarwal Manufacturing Co.
Plot No. 10 Friends Industrial Estate,
Opp. Atul Steel Focal Point,
LUDHIANA-141010 PUNJAB

FOR -SAEL LIMITED

Authorized Signatory
Witness
Signature _____
Name _____
Address _____


Chapter – 8

SOLID WASTE GENERATION & ITS MANAGEMENT

The industry has major source of solid waste generation i.e. Boiler Ash generated from the boiler furnace. The industry generated 36,514.11 MT ofBoiler Ash during the year under report. The Boiler Ash generated from the industry is lifted by the nearby villagers for land filling purpose in the low-lying areas. The industry has made agreements with 14 nos. nearby villagers for the lifting & disposal of Solid Waste (Ash) generated by the industry. The agreements made by the industry with these Vendors are as per **Annexure – 8.1.**



Annexure –8.1. – Agreements for Lifting & Disposal of Solid Waste (Ash)



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB81300221173397W
Certificate Issued Date	:	20-Nov-2024 04:38 PM
Certificate Issued By	:	pbkarkuau
Account Reference	:	NEWIMPACC (SV)/ pb7009404/ JAITON/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70094046181799405560 8W
Purchased by	:	KULDEEP SINGH SO MITHU SINGH RO GOBINDGARH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	KULDEEP SINGH SO MITHU SINGH RO GOBINDGARH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	KULDEEP SINGH SO MITHU SINGH RO GOBINDGARH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

SATINDER PAL KAUR GOVT OF INDIA NOTARY REGD NO 14840 JAITU

KRISHAN SINGH JAITU (FDK.)

Please write or type below this line

Kuldeep Singh

QE 0012757643

Statutory Alert:

Certificate No. in-PB81300221173397W Date 20-11-2024
Atam Parkash Stamp Vender Jaitu

SATINDER PAL KAUR GOVT OF INDIA NOTARY REGD NO 14840 JAITU

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਕੁਲਦੀਪ ਸਿੰਘ(ਅਧਾਰ ਨੰ:5108 8508 8763) ਪੁੱਤਰ ਸ੍ਰੀ ਮਿੱਠੂ ਸਿੰਘ ਵਾਸੀ ਗੋਬਿੰਦਗੜ੍ਹ(ਦਬੜੀਖਾਨਾ) ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ :

1) ਇਹ ਕਿ ਮੈਂ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 7 ਕਨਾਲਾ ਜਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਕੇਠਾ ਗੁਰੂ ਕਾ ਜਿਲਾ ਬਠਿੰਡਾ ਵਿਖੇ ਹੈ ਜਿਸਦਾ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।
2) ਇਹ ਕਿ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈਂ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 5 ਕਨਾਲਾ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋਤ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੇ ਰਾਖੀ(ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੇ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।
3) ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈਂ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ। ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ, ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾਂ ਹਰ ਤਰਾਂ ਦੀ ਜਿਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀਂ ਹੋਵੇਗੀ।
4) ਮੈਂ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੇ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈਂ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।


Koldeep Singh
ਬਿਆਨਕਾਰ

ਤਸਦੀਕ

ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ,ਇਸ ਵਿੱਚ ਕੁਝ ਵੀ ਲੁਕਾ ਕੇ ਜਾ ਛੁਪਾ ਕੇ ਨਹੀ ਰੱਖਿਆ ਗਿਆ ਮਿਤੀ 20-11-2024

ATTESTED
Satinder Pa. Kaur
Notary Public Jaitu
Regd No 14840
20/11/2024

Koldeep Singh
ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB58493617688553W
Certificate Issued Date	:	19-Sep-2024 03:31 PM
Certificate issued By	:	pbmibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835041658761738812 1W
Purchased by	:	BALBIR SINGH SO SUDAGAR SINGH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	BALBIR SINGH SO SUDAGAR SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	BALBIR SINGH SO SUDAGAR SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Alam Parkash Stamp Vendor ACC ID PB7083504 Jaitu (Faridkot)

QE 0012754640

Certificate No. IN-PBW Date 19-09-2024
Atam Parkash Stamp Vender Jaitu

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਬਲਬੀਰ ਸਿੰਘ ਪੁੱਤਰ ਸ੍ਰੀ ਸੁਦਾਗਰ ਸਿੰਘ ਵਾਸੀ ਵੱਡਾ ਅਗਵਾਡ, ਕੋਠਾ ਗੁਰੂ ਕਾ ਜਿਲਾ ਬਠਿੰਡਾ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿ ਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 7 ਕਨਾਲਾ ਜਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਕੋਠਾ ਗੁਰੂ ਕਾ ਜਿਲਾ ਬਠਿੰਡਾ ਵਿਖੇ ਹੈ ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।

2 ਇਹ ਕਿ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 5 ਕਨਾਲਾ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋੜ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾਂ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ।ਇਸ ਵਿੱਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।


ਬਿਆਨਕਾਰ

ਤਸਦੀਕ : (ਆਧਾਰ ਨੰ : 8506 8281 7897)

ਮਿਤੀ : 19/09/2024 ਮੋ : 99156 59054

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ

ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB48864197884717W
Certificate Issued Date	:	23-Aug-2024 10:31 AM
Certificate Issued By	:	pbrnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835049756280412533 8W
Purchased By	:	HARWINDER SINGH SO SADHU SINGH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	HARWINDER SINGH SO SADHU SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	HARWINDER SINGH SO SADHU SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

QE 0007551981

ਅਸਟਾਮ ਨੰ:ਆਈ ਐਨ ਪੀ.ਬੀ.488641978847 17ਡਬਲਯੂ ਮਿਤੀ 23-08-2024

ਬਿਆਨ ਹਲਫੀਆ

ਮੈ ਹਰਵਿੰਦਰ ਸਿੰਘ ਬੇਟਾ ਸਾਧੂ ਸਿੰਘ ਵਾਸੀ ਰਾਮਗੜ (ਭਗਤੂਆਣਾ) ਤਹਿ: ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ। ਹਾਂ ਅਤੇ ਨਿਮਨ ਲਿਖਤ ਬਿਆਨ ਹਲਫੀਆ ਕਰਦਾ ਹਾਂ:-

1) ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ ਪਲਾਟ 30×50-1500 ਮੁਰੱਬਾ ਫੁੱਟ ਵਾਕਿਆ ਰਕਬਾ ਦਾਣਾ ਮੰਡੀ ਜੈਤੋ ਵਿਖੇ ਹੈ।

2) ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਪਲਾਟ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਨਿਮਵਾਲਾ ਮੋੜ ਤਹਿ: ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ (ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ ਵਿਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।


3) ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਆਕਤੀ , ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾਂ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ।ਇਸ ਵਿੱਚ SAEL LTD.ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4) ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।

ਬਿਆਨ ਕਰਤਾ

ਤਸਦੀਕ: ਅਧਾਰ ਨੰ: 8395 7906 2282

ਸਾਡਾ ਉਕਤ ਦਿੱਤਾ ਗਿਆ ਬਿਆਨ ਹਲਫੀਆ ਸਹੀ ਵਾ ਦਰਸਤ ਹੈ ਇਸ ਵਿੱਚ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB48047957811980W
Certificate Issued Date	:	21-Aug-2024 11:07 AM
Certificate Issued By	:	pbrjnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835049594607121O115W
Purchased by	:	RAVINDER PAL SINGH SO BISHAMBER DASS
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	RAVINDER PAL SINGH SO BISHAMBER DASS
Second Party	:	Not Applicable
Stamp Duty Paid By	:	RAVINDER PAL SINGH SO BISHAMBER DASS
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Atam Parkash Stamp Vendor ACC ID PB7083504 Jaitu (Faridkot)

QE 0007551829

Certificate No. IN-PB48047957811980W Certificate issued date 21/08/2024

Rs. 50/-

ਹਲਫੀਆ ਬਿਆਨ

ਮੈਂ, ਰਵਿੰਦਰਪਾਲ ਸਿੰਘ ਪੁੱਤਰ ਬਿਸੰਬਰ ਦਾਸ ਵਾਸੀ ਜੈਤੋ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲ੍ਹਾਂ ਫਰੀਦਕੋਟ ਦਾ ਹਾ ਜ਼ੋ ਕਿ ਨਿਮਨਲਿਖਤ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕ:-

1. ਇਹ ਫਿਕ ਮੈਂ ਵਾਕਿਆ ਰਕਬਾ ਨੇੜੇ ਫਰੀਦ ਨਗਰ ਜੈਤੋ ਵਿਖੇ ਸਫੈਦ ਜਗ੍ਹਾਂ ਦਾ ਮਾਲਕ ਤੇ ਕਾਬਜ ਹਾ।

2. ਇਹ ਕਿ ਮੈਂ ਮੇਰੀ ਜਗ੍ਹਾਂ ਦਾ ਲੇਬਲ ਨੀਵਾ ਹੋਣ ਕਰਕੇ ਮੇਰੀ ਜਗ੍ਹਾਂ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਨਿਮਵਾਲਾ ਮੋਜ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲ੍ਹਾਂ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ ਸੁਆਹ) ਜ਼ੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ (Seal Ltd.) ਵਿੱਚੋਂ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3. ਇਹ ਕਿ ਮੈਂ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈਂ ਆਪਣੀ ਅਤੇ ਪੰਚਾਇਤ ਮੈਂਬਰ ਦੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਾ ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ ,ਸੰਸਥਾ ਜਾ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਕੋਈ ਇਤਰਾਜ ਹੋਵੇਗਾ ਹਰ ਤਰ੍ਹਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿੱਚ(Seal Ltd.) ਫੈਕਟਰੀ ਜੈਤੋ ਜਾ ਉਕਤ ਠੇਕੇਦਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।


4. ਇਹ ਕਿ ਮੈਂ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਰਾਖੀ ਉਪਰ ਜ਼ੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈਂ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।

ਬਿਆਨ ਕਰਤਾ,
Ravinder Pal Singh

ਤਸਦੀਕ:-

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਦਿੱਤਾ ਹੋਇਆ ਸਵੈ ਘੋਸ਼ਣਾ ਪੱਤਰ ਬਿਲਕੁੱਲ ਦਰੁਸਤ ਹੈ।

ਬਿਆਨ ਕਰਤਾ,
Ravinder Pal Singh



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB47125634125159W
Certificate Issued Date	:	17-Aug-2024 12:17 PM
Certificate issued By	:	pbrjnbca
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835049416562600094 1W
Purchased by	:	HARJINDER SINGH SO LAKHA SINGH R/O DEHBAL KHURD
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	BALJINDER KAUR WO HARJINDER SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	BALJINDER KAUR WO HARJINDER SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

QE 0007551698

Certificate No. IN-PB47125634125159W Certificate issued date 17/08/2024

Rs. 50/-

ਹਲਫੀਆ ਬਿਆਨ

ਮੈਂ, ਬਲਜਿੰਦਰ ਕੋਰ (4287-8374-2453) ਪਤਨੀ ਹਰਜਿੰਦਰ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਬਹਿਬਲ ਖੁਰਦ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲ੍ਹਾਂ ਫਰੀਦਕੋਟ ਦੀ ਹਾ ਜ਼ੋ ਕਿ ਨਿਮਨਲਿਖਤ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦੀ ਹਾ ਕਿ:-

1. ਇਹ ਕਿ ਮੈਂ ਗ੍ਰਾਮ ਪੰਚਾਇਤ ਪਿੰਡ ਬਹਿਬਲ ਖੁਰਦ ਦੀ ਸਰਪੰਚ ਹਾ।

2. ਇਹ ਕਿ ਸਾਡੇ ਪਿੰਡ ਸਟੇਡੀਅਮ ਦੀ ਜਗ੍ਹਾਂ ਦਾ ਲੇਬਲ ਨੀਵਾ ਹੋਣ ਕਰਕੇ ਸਟੇਡੀਅਮ ਦੀ ਜਗ੍ਹਾਂ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋਡ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾਂ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜ਼ੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ (Sael Ltd.) ਵਿੱਚੋਂ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3. ਇਹ ਕਿ ਮੈਂ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈਂ ਆਪਣੀ ਅਤੇ ਪੰਚਾਇਤ ਮੈਬਰਾ ਦੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾ। ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਕੋਈ ਇਤਰਾਜ ਹੋਵੇਤਾ ਹਰ ਤਰ੍ਹਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿੱਚ (Sael Ltd.) ਫੈਕਟਰੀ ਜੈਤੋ ਜਾ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।


4. ਇਹ ਕਿ ਮੈਂ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਰਾਖੀ ਉੱਪਰ ਜ਼ੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈਂ ਖੁਦ ਪਾਵੁਣ ਦੀ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗੀ।

ਬਿਆਨ ਕਰਤਾ,

ਤਸਦੀਕ:-

ਇੰਹ ਕਿ ਮੇਰਾ ਉਕਤ ਦਿੱਤਾ ਹੋਇਆ ਹਲਫੀਆ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ।

ਬਿਆਨ ਕਰਤਾ,



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB39238375711811W
Certificate Issued Date	:	25-Jul-2024 11:26 AM
Certificate Issued By	:	pbkarkuau
Account Reference	:	NEWIMPACC (SV)/ pb7009404/ JAITON/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70094047850669133374OW
Purchased by	:	PRINCE GOYAL SO PAWAN KUMAR RO JAITU
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	PRINCE GOYAL SO PAWAN KUMAR RO JAITU
Second Party	:	Not Applicable
Stamp Duty Paid By	:	PRINCE GOYAL SO PAWAN KUMAR RO JAITU
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

KRISHAN SINGH ACC. ID: PB7009404 JAITU (FDK.)

Please write or type below this line

QE 0004281343

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

Certificate No. IN-PB392383757118 11W Date 25-07-2024
Krishan Singh Stamp Vender Jaitu Stamp Duty Amount Rs.50/-

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਪ੍ਰਿੰਸ ਗੋਇਲ ਪੁੱਤਰ ਸ੍ਰੀ ਪਵਨ ਕੁਮਾਰ ਵਾਸੀ ਪੰਡਿਤ ਬੇਲੀ ਰਾਮ ਸਟਰੀਟ ਜੈਤੋ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿ ਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 5 ਕਨਾਲਾ ਜਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਕੋਟਕਪੂਰਾ ਰੋਡ ਜੈਤੋ ਵਿਖੇ ਹੈ ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।

2 ਇਹ ਕਿ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 5 ਕਨਾਲਾ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋਡ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾਂ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ। ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿੱਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।


ਬਿਆਨਕਾਰ

ਤਸਦੀਕ : (ਆਧਾਰ ਨੰ : 9887 0746 0559)

ਮਿਤੀ : 25/07/2024

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ।

ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB39104856221336W
Certificate Issued Date	:	24-Jul-2024 04:53 PM
Certificate Issued By	:	pbrnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835047824810017720 4W
Purchased by	:	BALRAJ SINGH SO GURDAS SINGH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	BALRAJ SINGH SO GURDAS SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	BALRAJ SINGH SO GURDAS SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Alam Parkash
Stamp Vendor
Jaitu (Faridkot)

QE 0004294465

Certificate No. IN-PB39104856221336W Date 24-07-2024
Atam Parkash Stamp Vender Jaitu

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਬਲਰਾਜ ਸਿੰਘ ਪੁੱਤਰ ਸ੍ਰੀ ਗੁਰਦਾਸ ਸਿੰਘ ਵਾਸੀ ਸਾਦਾ ਪੱਤੀ ਜੈਤੋ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿ ਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 5 ਕਨਾਲਾ ਜਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਨਿਆਮੀ ਵਾਲਾ ਰੋਡ ਜੈਤੋ ਵਿਖੇ ਹੈ ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।

2 ਇਹ ਕਿ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 5 ਕਨਾਲਾ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋੜ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾਂ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ।ਇਸ ਵਿੱਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾਂ।


ਬਲਰਾਜ ਸਿੰਘ
ਬਿਆਨਕਾਰ

ਤਸਦੀਕ : (ਆਧਾਰ ਨੰ : 4654 1773 0495)

ਮਿਤੀ : 24/07/2024

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ

ਬਲਰਾਜ ਸਿੰਘ
ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB38367902600742W
Certificate Issued Date	:	23-Jul-2024 11:31 AM
Certificate Issued By	:	pbjnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB7083504767888659099 41W
Purchased by	:	SURINDER KUMAR SO GORA LAL
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	SURINDER KUMAR SO GORA LAL
Second Party	:	Not Applicable
Stamp Duty Paid By	:	SURINDER KUMAR SO GORA LAL
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Atam Parkash Stamp Vendor ACC ID PB7083504 Jaitu (Faridkot)

QE 0004294328

Certificate No. IN-PB38367902600742W Date 23-07-2024
Atam Parkash Stamp Vender Jaitu

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਸੁਰਿੰਦਰ ਕੁਮਾਰ ਪੁੱਤਰ ਸ੍ਰੀ ਗੋਰਾ ਲਾਲ ਵਾਸੀ ਵਾਰਡ ਨੰ : 3 ਦੁਰਗਾ ਮੰਦਿਰ ਦੇ ਨੇੜੇ ਸਾਦਾ ਪੱਤੀ ਜੈਤੋ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 5 ਕਨਾਲਾ ਜਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਨਿਆਮੀ ਵਾਲਾ ਰੋਡ ਜੈਤੋ ਵਿਖੇ ਹੈ ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।

2 ਇਹ ਕਿ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 5 ਕਨਾਲਾ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋੜ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜ਼ੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3 ਮੈ ਹਲ਼ਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾਂ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ।ਇਸ ਵਿੱਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜ਼ੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾਂ।


ਬਿਆਨਕਾਰ

ਤਸਦੀਕ : (ਆਧਾਰ ਨੰ : 7263 4752 7062)

ਮਿਤੀ : 23/07/2024

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ

ਬਿਆਨਕਾਰ



: Not Applicable

INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB34736708121445W
Certificate Issued Date	:	11-Jul-2024 08:29 PM
Certificate Issued By	:	pbrjnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB708350469586740316284W
Purchased by	:	SATNAM SINGH SO NATHU SINGH RO JAITU
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	SATNAM SINGH SO NATHU SINGH RO JAITU
Second Party	:	Not Applicable
Stamp Duty Paid By	:	SATNAM SINGH SO NATHU SINGH RO JAITU
Stamp Duty Amount(Rs.)	:	100 (One Hundred only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	100 (One Hundred only)

Please write or type below this line

QE 0004293748

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ ਸਤਨਾਮ ਸਿੰਘ (ਐਮ.ਸੀ.) ਪੁੱਤਰ ਨੱਥਾ ਸਿੰਘ ਵਾਸੀ ਟਿੱਬੀ ਸਾਹਿਬ ਰੋਡ ਵਾਰਡ ਨੰ: 2 ਜੈਤੋ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲ੍ਹਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾਂ ਅਤੇ ਹੇਠ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ:-

1. ਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰੇ ਵਾਰਡ ਨੰ: 2 ਵਿੱਚ ਗਲੀ ਵਿੱਚ ਬਹੁਤ ਜਿਆਦਾ ਟੋਏ ਪਏ ਹਨ ਜਿਸ ਵਿੱਚ ਕਾਫੀ ਪਾਣੀ ਖੜ੍ਹ ਜਾਂਦਾ ਹੈ ਜਿਸ ਨਾਲ ਆਉਣ ਜਾਣ ਵਿੱਚ ਲੋਕਾਂ ਨੂੰ ਕਾਫੀ ਮੁਸਕਿਲ ਆਉਦੀ ਹੈ।

2. ਇਹ ਕਿ ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੇ ਵਾਰਡ ਨੰ: 2 ਜੈਤੋ ਦੀ ਗਲੀ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋੜ, ਤਹਿਸੀਲ ਤਪਾ , ਜਿਲ੍ਹਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ (ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਵੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮ: (Seal Ltd.) ਵਿਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3. ਇਹ ਕਿ ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ । ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ, ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿੱਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾਂ ਹਰ ਤਰ੍ਹਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿੱਚ (Seal Ltd.) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4. ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਅਸੀ ਖੁਦ ਪਾਉਣ ਦੇ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗੇ।

ਨਗਰ ਕੌਂਸਲਰ
ਜੈਤੋ (ਫਰੀਦਕੋਟ)
ਬਿਆਨ ਕਰਤਾ,

ਤਸਦੀਕ:


ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ। ਇਸ ਵਿੱਚ ਕੋਈ ਵੀ ਗੱਲ ਗਲਤ ਜਾਂ ਛੁਪਾ ਕੇ ਨਹੀ ਰੱਖੀ ਗਈ ਹੈ।

ਮਿਤੀ:

ਬਿਆਨ ਕਰਤਾ,

ਮਿਤੀ

ਸਥਾਨ ਜੈਤੋ



INDIA NON JUDICIAL

Government of Punjab


e-Stamp

Certificate No.	:	IN-PB34433894278006W
Certificate Issued Date	:	11-Jul-2024 11:31 AM
Certificate Issued By	:	pbprakmru
Account Reference	:	NEWIMPACC (SV)/ pb7096904/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70969046899850834682 1W
Purchased by	:	Sadhu Singh So Bahader Singh Ro Goniana aMandi
Description of Document	:	Article 5(d) Agreement - if not otherwise provided for
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	Sadhu Singh So Bahader Singh Ro Goniana aMandi
Second Party	:	Not Applicable
Stamp Duty Paid By	:	Sadhu Singh So Bahader Singh Ro Goniana aMandi
Stamp Duty Amount(Rs.)	:	100 (One Hundred only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	100 (One Hundred only)

Please write or type below this line

QE 0004299509

Statutory Alert:
1. The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.
2. The onus of checking the legitimacy is on the users of the certificate.
3. In case of any discrepancy please inform the Competent Authority.



Vender Jaitu Stamp Duty Amount Rs.100 Date 11-07-2024

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਸਾਧੂ ਸਿੰਘ (ਆਧਾਰ ਨੰ : 6974 2484 5782) ਪੁੱਤਰ ਸ੍ਰੀ ਬਹਾਦਰ ਸਿੰਘ ਵਾਸੀ ਗੋਨਿਆਣਾ ਮੰਡੀ ਜਿਲਾ ਬਠਿੰਡਾ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੇਰੇ ਪਾਸ 2 ਕਿਲੇ ਜਮੀਨ/ਪਲਾਟ ਵਾਕਿਆ ਰਕਬਾ ਪਿੰਡ ਗੁੰਮਟੀ ਖੁਰਦ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਵਿਖੇ ਹੈ।ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਂਮ ਪਰ ਹੈ।

2 ਮੈ ਹਲਫਨ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ/ਪਲਾਟ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋਡ, ਤਹਿਸੀਲ ਤਪਾ , ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ (ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ, (SAFL LTD) ਵਿਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।।

3 ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ।ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ , ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ।ਇਸ ਵਿੱਚ (SAFL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀ ਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਗਾ।

ਆਧਾਰ ਨੰ :


ਬਿਆਨਕਾਰ

ਤਸਦੀਕ :

ਮਿਤੀ : 11/07/2024

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ।

ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB22460627324055W
Certificate Issued Date	:	05-Jun-2024 10:31 AM
Certificate Issued By	:	pbjmbau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB708350445394580837771V
Purchased by	:	BEANT SINGH SO AMARJEET SINGH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	BEANT SINGH SO AMARJEET SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	BEANT SINGH SO AMARJEET SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Prakash Vendor Acc. ID (Faridkot)

QE 0001419668

Certificate No. IN-PB224696273240 55W Atam Parkash Stamp

Vender Jaitu

ਬਿਆਨ ਹਲਫੀਆ

ਮੈ ਬੇਅੰਤ ਸਿੰਘ (ਅਧਾਰ ਨੰ :5578 0159 4948 ਪੁੱਤਰ ਸ੍ਰੀ ਅਮਰਜੀਤ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਰਣ ਸਿੰਘ ਵਾਲਾ ਤਹਿਸੀਲ ਜੈਤੋਂ ਜ਼ਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾਂ ਅਤੇ ਹੇਠ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾਂ :

1. ਇਹ ਕਿ ਮੈ ਉਕਤ ਪਤੇ ਦਾ ਪੱਕਾ ਵਸਨੀਕ ਹਾਂ।
2. ਇਹ ਕਿ ਮੇਰੇ ਕੋਲ ਤੈਦਾਦੀ 3 ਕਿਲੇ ਪੰਚਾਇਤੀ ਜ਼ਮੀਨ ਵਾਕਿਆ ਰਕਬਾ ਪਿੰਡ ਰਣ ਸਿੰਘ ਵਾਲਾ ਤਹਿਸੀਲ ਜੈਤੋਂ ਜ਼ਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਕਬਜਾ ਹੈ। ਇਹ ਜ਼ਮੀਨ ਦੀ ਵਰਤੋਂ ਖੇਡ ਮੈਦਾਨ ਵਜੋਂ ਕਰ ਰਹੇ ਹਾਂ। ਜਿਸ ਲਈ ਅਸੀਂ ਇਸ ਵਿੱਚ ਬਾਇਓ ਮਾਸ ਰਾਖ ਪਵਾ ਰਹੇ ਹਾਂ।
3. ਇਹ ਕੇ ਉਕਤ ਰਕਬੇ ਵਿਚ ਜੇਕਰ ਠੇਕੇਦਾਰ ਗੁਰਜੰਟ ਸਿੰਘ ਕੁਨਟ੍ਰੈਕ੍ਟਰ ਵਲੋਂ ਬਾਇਓਮਾਸ ਰਾਖ ਸੁੱਟੀ ਜਾਂਦੀ ਹੈ ਜਿਸਦਾ ਮੈਨੂੰ ਅਤੇ ਮੇਰੇ ਪਿੰਡ ਦੀ ਪੰਚਾਇਤ ਅਤੇ ਨਾਲ ਲਗਦੀ ਜ਼ਮੀਨ ਵਾਲਿਆਂ ਨੂੰ ਕੋਈ ਇਤਰਾਜ ਨਹੀਂ ਹੈ।
4. ਇਹ ਕੇ ਠੇਕੇਦਾਰ ਵਲੋਂ ਸੁੱਟੀ ਜਾਣ ਵਾਲੀ ਰਾਖ ਦਾ ਆਮ ਲੋਕਾਂ ਨੂੰ ਅਤੇ ਪ੍ਰਕਿਰਤੀ ਨੂੰ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦਾ ਕੋਈ ਨੁਕਸਾਨ ਨਹੀਂ ਹੈ।
5. ਇਹ ਬਾਇਓ ਮਾਸ ਫਾਲਤੂ ਰਾਖ ਅਸੀਂ ਆਪਣੀ ਮਰਜ਼ੀ ਨਾਲ ਪਵਾ ਰਹੇ ਹਾਂ ਇਸ ਵਿੱਚ ਪਿੰਡ ਦੀ ਪੰਚਾਇਤ ਨੂੰ ਕੋਈ ਇਤਰਾਜ਼ ਨਹੀਂ ਹੈ। ਇਸ ਦੀ ਸਾਰੀ ਜ਼ਿਮੇਵਾਰੀ ਮੇਰੀ ਆਪਣੀ ਹੋਵੇਗੀ।


ਤਸਦੀਕ :

ਮਿਤੀ :05/06/2024

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਬਿਲਕੁਲ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ ਇਸ ਵਿਚ ਕੋਈ ਵੀ ਗੱਲ ਗ਼ਲਤ ਨਹੀਂ ਹੈ ਅਤੇ ਨਾ ਹੀ ਛੁਪਾਈ ਗਈ ਹੈ।

ਬਿਆਨਕਾਰ

ਬਿਆਨਕਾਰ



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB05483332036160W
Certificate Issued Date	:	12-Apr-2024 11:31 AM
Certificate Issued By	:	pbprakmn
Account Reference	:	NEWIMPACC (SV)/ pb7096904/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PEPB7096904116334819547 73W
Purchased by	:	Darshan Kumar so Bhag Ram ro Bargari
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	Darshan Kumar so Bhag Ram ro Bargari
Second Party	:	Not Applicable
Stamp Duty Paid By	:	Darshan Kumar so Bhag Ram ro Bargari
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

a of Property : 0
sideration Price (Rs.) : (Zero)
MANDEEP SINGH SO RANJIT SINGH

KRISHAN KUMAR
Stamp Vendor
ACC ID-
PB7096904
Jaitu Distt Faridkot

RD 0026269066

Statutory Alert:

E-Stamp Certificate No. IN-PB05483332036160W, Rs.50/-, Article 4 Affidavit, Dated: 12/04/2024, Krishan Kumar Stamp Vender Jaitu (Faridkot).

ਬਿਆਨ ਹਲਫੀਆ

ਮੈਂ, ਦਰਸਨ ਕੁਮਾਰ ਆਧਾਰ ਕਾਰਡ ਨੰਬਰ 8010 8780 5257 ਪੁੱਤਰ ਭਾਗ ਰਾਮ ਪੁੱਤਰ ਜਗਤ ਰਾਮ ਵਾਸੀ ਪਿੰਡ ਬਰਗਾੜੀ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲ੍ਹਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾਂ ਅਤੇ ਹੇਠ ਲਿਖਿਆ ਬਿਆਨ ਹਲਫੀਆ ਕਰਦਾ ਹਾਂ ਕਿ :-

1. ਇਹ ਕਿ ਮੈ ਉਕਤ ਪਤੇ ਦਾ ਪੱਕਾ ਵਸਨੀਕ ਹਾਂ।
2. ਇਹ ਕਿ ਮੇਰੇ ਨਾਮ ਪਰ ਜ਼ਮੀਨ ਤੇਦਾਦੀ 08 ਕਨਾਲਾਂ 00 ਮਰਲੇ ਖਸਰਾ ਨੰਬਰ 919 ਵਿੱਚੋ ਵਾਕਿਆ ਰਕਬਾ ਪਿੰਡ ਬਰਗਾੜੀ ਦੀ ਮਾਲਕੀ ਕਬਜਾ ਹੈ। ਮੇਰੀ ਜ਼ਮੀਨ ਬਹਿਬਲ ਖੁਰਦ ਰੋਡ ਪਿੰਡ ਬਰਗਾੜੀ ਵਿਖੇ ਪੈਦੀ ਹੈ।
3. ਇਹ ਕਿ ਉਕਤ ਰਕਬੇ ਵਿੱਚ ਜੇਕਰ ਠੇਕੇਦਾਰ ਗੁਰਜੰਟ ਸਿੰਘ ਕਾਂਟ੍ਰੈਕਟਰ ਵੱਲੋ ਬਾਇਓਮਾਸ ਫਾਲਤੂ ਰਾਖ ਸੁੱਟੀ ਜਾਦੀ ਹੈ ਜਿਸਦਾ ਮੈਨੂੰ ਅਤੇ ਮੇਰੇ ਨੇੜੇ ਜ਼ਮੀਨ ਵਾਲੇ ਨੂੰ ਇਤਰਾਜ਼ ਨਹੀ ਹੈ।
4. ਇਹ ਕਿ ਠੇਕੇਦਾਰ ਵੱਲੋ ਸੁੱਟੀ ਜਾਣ ਵਾਲੀ ਰਾਖ ਦਾ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦਾ ਆਮ ਲੋਕਾਂ ਨੂੰ ਅਤੇ ਪ੍ਰਿਥਵੀ ਨੂੰ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦੀ ਕੋਈ ਹਾਨੀ ਨਹੀ ਹੈ।
5. ਇਹ ਕਿ ਠੇਕੇਦਾਰ ਵੱਲੋ ਸੁੱਟੀ ਜਾਣ ਵਾਲੀ ਰਾਖ ਦੀ ਜੁੰਮੇਦਾਰੀ ਪੂਰੀ ਤਰ੍ਹਾ ਗੁਰਜੰਟ ਸਿੰਘ ਦੀ ਆਪਣੀ ਹੋਵੇਗੀ ਕੰਪਨੀ ਦਾ ਦੇਦੇ ਵਿੱਚ ਲੈਣ ਦੇਣ ਨਹੀ ਹੈ।

ਕ੍ਰਿਸ਼ਨ ਕੁਮਾਰ
ਬਿਆਨ ਕਾਰ ਉਕਤ.

ਤਸਦੀਕ :-

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਲਿਖਿਆ ਬਿਆਨ ਹਲਫੀਆ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ। ਇਸ ਵਿੱਚ ਕੋਈ ਵੀ ਗਲ ਗਲਤ ਜਾਂ ਛੁਪਾ ਕਿ ਨਹੀ ਰੱਖੀ ਗਈ ਹੈ।

ਮਿਤੀ 18/04/2024

ਬਿਆਨ ਕਾਰ ਉਕਤ,
ਕ੍ਰਿਸ਼ਨ ਕੁਮਾਰ
9896[illegible]-34795



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB18590383671762W
Certificate Issued Date	:	23-May-2024 09:41 AM
Certificate Issued By	:	pbrjnibau
Account Reference	:	NEWIMPACC (SV)/ pb7083504/ JAITU/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70835043764366979010W
Purchased by	:	MANPREET SINGH SO RANJIT SINGH
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	MANPREET SINGH SO RANJIT SINGH
Second Party	:	Not Applicable
Stamp Duty Paid By	:	MANPREET SINGH SO RANJIT SINGH
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Please write or type below this line

QE 0001419113

Statutory Alert:

Certificate No. IN-PB18590383671762W Date 23-05-2024
Atam Parkash Stamp Vender Jaitu

ਹਲਫੀਆ ਬਿਆਨ

ਮੈ, ਮਨਪ੍ਰੀਤ ਸਿੰਘ ਪੁੱਤਰ ਸ੍ਰੀ ਰਣਜੀਤ ਸਿੰਘ ਪੁੱਤਰ ਸ੍ਰੀ ਜਰਨੈਲ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਸਾਹੋਕੇ ਜਿਲਾ ਮੋਗਾ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿਮੈ ਹਲਫਨ ਬਿਆਨ ਕਰਦਾ ਕਿ ਮੇਰੇ ਪਾਸ 2 ਕਿਲੇ ਜਮੀਨ ਪਿੰਡ ਵਾਕਿਆ ਸਾਹੋਕੇ ਜਿਲਾ ਮੋਗਾ ਵਿਖੇ ਹੈ ਜਿਸਦੀ ਰਜਿਸਟਰੀ ਮੇਰੇ ਨਾਮ ਪਰ ਹੈ।

2 ਇਹ ਕਿ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾ ਕਿ ਮੈ ਆਪਣੀ ਉਕਤ ਜਮੀਨ ਦੇ 2 ਕਿਲੇ ਵਿੱਚ ਗੁਰਜੰਟ ਸਿੰਘ ਠੇਕੇਦਾਰ ਪੁੱਤਰ ਬਲਦੇਵ ਸਿੰਘ ਵਾਸੀ ਪਿੰਡ ਨਿਮਵਾਲਾ ਮੋੜ, ਤਹਿਸੀਲ ਤਪਾ ਜਿਲਾ ਬਰਨਾਲਾ ਤੋ ਰਾਖੀ(ਸੁਆਹ) ਜੋ ਕਿ ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਿਟਿਡ (SAEL LTD) ਵਿੱਚੋ ਨਿਕਲਦੀ ਹੈ ਦੀ ਭਰਤ ਪਵਾਉਣੀ ਹੈ।

3 ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਮੈ ਆਪਣੀ ਮਰਜੀ ਨਾਲ ਰਾਖੀ (ਸੁਆਹ) ਪਵਾ ਰਿਹਾ ਹਾਂ। ਅਗਰ ਕਿਸੇ ਵੀ ਵਿਅਕਤੀ,ਸੰਸਥਾ ਜਾਂ ਸਰਕਾਰੀ ਵਿਭਾਗ ਨੂੰ ਇਸ ਵਿਚ ਕਿਸੇ ਕਿਸਮ ਦਾ ਇਤਰਾਜ ਹੋਵੇ ਤਾ ਹਰ ਤਰਾਂ ਦੀ ਜਿੰਮੇਵਾਰੀ ਮੇਰੀ ਹੋਵੇਗੀ। ਇਸ ਵਿੱਚ (SAEL LTD) ਫੈਕਟਰੀ (ਜੈਤੋ) ਜਾਂ ਉਕਤ ਠੇਕੇਦਾਰ ਦੀ ਕਿਸੇ ਕਿਸਮ ਦੀ ਕੋਈ ਜੁੰਮੇਵਾਰੀ ਨਹੀ ਹੋਵੇਗੀ।

4 ਮੈ ਹਲਫ ਨਾਲ ਬਿਆਨ ਕਰਦਾ ਹਾਂ ਕਿ ਰਾਖੀ ਉਪਰ ਜੋ ਮਿੱਟੀ ਦੀ ਭਰਤ ਪਵੇਗੀਉਹ ਮੈ ਖੁਦ ਪਾਉਣ ਦਾ ਜਿੰਮੇਵਾਰ ਹੋਵਾਂਗਾ।

ਬਿਆਨਕਾਰ


ਤਸਦੀਕ : ਆਧਾਰ ਨੰ : 9594 6691 8846

ਮਿਤੀ : 23/05/20234

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਬਿਆਨ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ, ਕੋਈ ਗੱਲ ਗਲਤ ਨਾ ਹੈ।

ਬਿਆਨਕਾਰ

(ਮਨਪ੍ਰੀਤ ਸਿੰਘ ਆਧਾਰ ਨੰ : 9594 6691 8846)



INDIA NON JUDICIAL

Government of Punjab

e-Stamp

Certificate No.	:	IN-PB09194022548406W
Certificate Issued Date	:	24-Apr-2024 05:28 PM
Certificate Issued By	:	pbkewlkru
Account Reference	:	NEWIMPACC (SV)/ pb7005604/ JAITON/ PB-FK
Unique Doc. Reference	:	SUBIN-PBPB70056041898176300680 4W
Purchased by	:	AVTAR SINGH DHILLON SO MANOHAR SINGH RO BARGARI
Description of Document	:	Article 4 Affidavit
Property Description	:	Not Applicable
Area of Property	:	Not Applicable
Consideration Price (Rs.)	:	0 (Zero)
First Party	:	AVTAR SINGH DHILLON SO MANOHAR SINGH RO BARGARI
Second Party	:	NA
Stamp Duty Paid By	:	AVTAR SINGH DHILLON SO MANOHAR SINGH RO BARGARI
Stamp Duty Amount(Rs.)	:	50 (Fifty only)
Social Infrastructure Cess(Rs.)	:	0 (Zero)
Total Stamp Duty Amount(Rs.)	:	50 (Fifty only)

Please write or type below this line

RD 0022028384

Statutory Alert:

The authenticity of this Stamp certificate should be verified at 'www.shcilestamp.com' or using e-Stamp Mobile App of Stock Holding. Any discrepancy in the details on this Certificate and as available on the website / Mobile App renders it invalid.

The onus of checking the legitimacy is on the users of the certificate.

In case of any discrepancy please inform the Competent Authority

ਬਿਆਨ ਹਲਫੀਆ

ਮੈ, ਅਵਤਾਰ ਸਿੰਘ ਢਿੱਲੋ (ਆਧਾਰ ਨੰ : 2846 3324 5158) ਮਨੋਹਰ ਸਿੰਘ ਵਾਸੀ ਝੱਖੜਵਾਲਾ ਰੋਡ, ਪਿੰਡ ਬਰਗਾੜੀ ਤਹਿਸੀਲ ਜੈਤੋ ਜਿਲਾ ਫਰੀਦਕੋਟ ਦਾ ਰਹਿਣ ਵਾਲਾ ਹਾ ਅਤੇ ਹੇਠ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਕਰਦਾ ਹਾ :

1 ਇਹ ਕਿ ਮੈ ਉਕਤ ਪਤੇ ਦਾ ਪੱਕਾ ਵਸਨੀਕ ਹਾਂ।

2 ਇਹ ਕਿ ਮੇਰੇ ਨਾਮ ਪਰ ਜਮੀਨ ਤੈਦਾਦੀ 1.5 (ਡੇਡ ਕਿੱਲਾ) ਵਾਕਿਆ ਰਕਬਾ ਪਿੰਡ ਬਰਗਾੜੀ ਦੀ ਮਾਲਕੀ ਕਬਜਾ ਹੈ।ਮੇਰੀ ਜਮੀਨ ਬਹਿਬਲ ਖੁਰਦ ਰੋਡ ਪਿੰਡ ਬਰਗਾੜੀ ਵਿਖੇ ਪੈਦੀ ਹੈ।

3 ਇਹ ਕਿ ਉਕਤ ਰਕਬੇ ਵਿੱਚ ਜੇਕਰ ਠੇਕੇਦਾਰ ਗੁਰਜੰਟ ਸਿੰਘ ਕਾਂਟ੍ਰੈਕਟਰ ਵੱਲੋ ਬਾਇਓਮਾਸ ਫਾਲਤੂ ਰਾਖ ਸੁੱਟੀ ਜਾਂਦੀ ਹੈ ਜਿਸਦਾ ਮੈਨੂੰ ਅਤੇ ਮੇਰੇ ਨੇੜੇ ਜਮੀਨ ਵਾਲੇ ਨੂੰ ਇਤਰਾਜ਼ ਨਹੀ ਹੈ।

4 ਇਹ ਕਿ ਠੇਕੇਦਾਰ ਵੱਲੋ ਸੁੱਟੀ ਜਾਣ ਵਾਲੀ ਰਾਖ਼ ਦਾ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦੇ ਆਮ ਲੋਕਾਂ ਨੂੰ ਅਤੇ ਪ੍ਰਕ੍ਰਿਤੀ ਨੂੰ ਕਿਸੇ ਪ੍ਰਕਾਰ ਦਾ ਕੋਈ ਹਾਨੀ ਨਹੀ ਹੈ।

5 ਇਹ ਕਿ ਠੇਕੇਦਾਰ ਵੱਲੋ ਸੁੱਟੀ ਜਾਣ ਵਾਲੀ ਰਾਖ਼ ਦੀ ਜੁੰਮੇਵਾਰੀ ਪੂਰੀ ਤਰ੍ਹਾ ਗੁਰਜੰਟ ਸਿੰਘ ਦੀ ਆਪਣੀ ਹੋਵੇਗੀ ਕੰਪਨੀ ਦਾ ਇਸਦੇ ਵਿੱਚ ਲੈਣ ਦੇਣ ਨਹੀ ਹੈ।

ਤਸਦੀਕ :

ਮਿਤੀ : 24-4-24

ਬਿਆਨਕਾਰ

ਇਹ ਕਿ ਮੇਰਾ ਉਕਤ ਲਿਖਿਆ ਹਲਫੀਆ ਬਿਆਨ ਬਿਲਕੁਲ ਸਹੀ ਵਾ ਦਰੁਸਤ ਹੈ ਇਸ ਵਿੱਚ ਕੋਈ ਵੀ ਗੱਲ ਗਲਤ ਨਹੀ ਹੈ ਅਤੇ ਨਾ ਹੀ ਛੁਪਾਈ ਗਈ ਹੈ।

ਬਿਆਨਕਾਰ

Chapter – 9

STATUTORY PERMISSIONS

The industry has obtained the Consent to Operate under the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981 and the Authorisation under the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016 which are as under: -

- Consent to operate under the Water (Prevention & Control of Pollution) Act, 1974, granted from Punjab Pollution Control Board vide consent no. **CTOW/Fresh/FDK/2020/11825855** dated 24.01.2020 valid upto 31.03.2024 and further renewed vide consent no. **CTOW/Renewal/FDK/2024/25390168** dated 08.07.2024 valid upto30.06.2025(Copy Attached)

- Consent to operate under the Air (Prevention & Control of Pollution) Act, 1981, granted from Punjab Pollution Control Board vide consent no. **CTOA/Fresh/FDK/2020/11805469** dated 24.01.2020 valid upto 31.03.2024 and further renewed vide consent no. **CTOA/Renewal/FDK/2024/25390195** dated 08.07.2024 valid upto 30.06.2025 (Copy Attached)

- Authorization under the Hazardous and Other Wastes (Management & Transboundary Movement) Rules, 2016, granted from Punjab Pollution Control Board vide no. **HWM/Fresh/FDK/2023/20375725** dated 18.01.2023 valid upto 31.03.2027 (Copy Attached).

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda.

Website:- www.ppcb.gov.in

Office Dispatch No : **Registered/Speed Post** **Date:**

Industry Registration ID: *R18FDK570077* **Application No :** *11825855*

To,

Jasbir Singh Awla
C/o Sukhbir Agro Energy Ltd., A-4, 2nd Floor, Green Park Main
Newdelhi,Newdelhi-110016

Subject: **Grant of 'Consent to Operate'an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.**

With reference to your application for obtaining 'Consent to Operateï¿½ an outlet for discharge of the effluent u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974, you are, hereby, authorized to operate an industrial unit fordischarge of the effluent(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	*CTOW/Fresh/FDK/2020/11825855*
Date of issue :	*24/01/2020*
Date of expiry :	*31/03/2024*
Certificate Type :	*Fresh*

2. Particulars of the Industry

Name & Designation of the Applicant	*Sudhanshu Jindal, (Manager Accounts)*
Address of Industrial premises	*Sukhbir Agro Energy Limited, Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot, Jaito,Faridkot-151202*
Capital Investment of the Industry	*13211.0 lakhs*
Category of Industry	*Red*
Type of Industry	*1009-Power generation plant (except Wind and Solar renewable power plants of all capacities and Mini Hydel power plant of capacity <25MW)*
Scale of the Industry	*Large*
Office District	*Faridkot*
Consent Fee Details	Rs. 7,20,000/- vide R. No. 104186903 dated 05.12.2019.
Raw Materials(Name with quantity per day)	*Biomass (Paddy Straw) @ 17 TPH*
Products (Name with quantity per day)	*Electricity / Electric Power @ 18 MW*
By-Products, if any,(Name with quantity per day)	--
Details of the machinary and processes	*Fuel (paddy straw) - boiler furnace - steam generation - turbine - electric power to grid.*

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page1

Details of the Effluent Treatment Plant	*Neutralisation tank - for reject generated from the D.M. Plant.* *Settling tank - for the blow downs generated from the boiler and the cooling towers.*
Mode of Disposal	*Trade effluent @ 266.5 Kl/day - Treated effluent from neutralization tank and settling tank disposed of partially onto land for plantation developed in an area of 8 acres and partially for ash quenching.* *Domestic effluent @ 15 Kl/day – Onto land for plantation after treatment in a septic tank*
Standards to be achieved under Water(Prevention & Control of Pollution) Act, 1974	*As prescribed by the PPCB/CPCB/MOEF.*

24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

Endst. No.: **Dated:**

A copy of the above is forwarded to the following for information and necessary action please:
Environmental Engineer, Punjab Pollution Control Board, Regional Office, Faridkot

24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Limited or for getting loan from the financial institutions.
2. The industry shall apply for renewal/further extension in validity of consent atleast two months before expiry of the consent.
3. The industry shall ensure that the effluent discharging through the authorized outlet shall confirm to the prescribed standards as applicable from time to time.
4. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.
5. The achievement of the adequacy and efficiency of the effluent treatment plant/pollution control devices/re-circulation system installed shall be the entire responsibility of the industry.
6. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of the Hazardous Wastes(Management, Handling and Trans boundary Movement) Rules, 2008 as amended time to time , without any adverse effect on the environment, in any manner
7. The responsibility to monitor the effluent discharged from the authorized outlet and to maintain a record of the same rests with the industry. The Board shall only test check the accuracy of these reports for which the industry shall deposit the samples collection and testing fee with the Board as and when required.
8. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year.
9. The industry shall submit a yearly certificate to the effect that no addition/up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.
10. During the period beginning from the date of issuance and the date of expiration of this consent, the applicant shall not discharge floating solids or visible foam.
11. Any amendments/revisions made by the Board in the tolerance limits for discharges shall be applicable to the industry from the date of such amendments/revisions.
12. The industry shall not change or alter the manufacturing process(es) so as to change the quality and/or quantity of the effluents generated without the written permission of the Board.
13. Any upset conditions in the plant/plants of the factory, which is likely to result in increased effluent and/or result in violation of the standards lay down by the Board shall be reported to the Environmental Engineer, Punjab Pollution Control Board of concerned Regional Office immediately failing which any stoppage and upset conditions that come to the notice of the Board/its officers, will be deemed to be intentional violation of the conditions of consent.
14. The industry shall provide terminal manhole(s) at the end of each collection system and a manhole upstream of final outlet (s) out of the premises of the industry for measurement of flow and for taking samples.
15. The industry shall for the purpose of measuring and recording the quantity of water consumed and effluent discharged, affix meters of such standards and at such places as approved by the Environmental Engineer, Punjab Pollution Control Board of the concerned Regional Office.
16. The industry shall maintain record regarding the operation of effluent treatment plant i.e. record of quantity of chemicals and energy utilized for treatment and sludge generated from treatment so as to satisfy the Board regarding regular and proper operation of pollution control equipment.
17. The industry shall provide online monitoring equipmentï¿½s for the parameters as decided by concerned Regional Office with the effluent treatment plant/air pollution control devices installed, if applicable.
18. The pollution control devices shall be interlocked with the manufacturing process of the industry.
19. The authorized outlet and mode of disposal shall not be changed without the prior written permission of the Board.
20. The industry shall comply with the conditions imposed by the SEIAA / MOEF in the environmental clearance granted to it as required under EIA notification dated14/9/06, if applicable.
21. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
22. The industry shall not use any unauthorized out-let(s) for discharging effluents from its premises. All unauthorized outlets, if any, shall be connected to the authorized outlet within one month from the date of issue of this consent.

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page3

23. The industry shall make necessary arrangements for the monitoring of effluent being discharged by the industry and shall monitor its effluents:-

    (i) Once in Year for Small Scale Industries.

    (ii) Four in a Year for Large/Medium Scale Industries.

    (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.

24. The industry shall provide electromagnetic flow meters at the source of water supply, at inlet/outlet of effluent treatment plant within one month and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th of the following month.

25. The Board reserves the right to revoke this consent at any time in case the industry is found violating any of the conditions of this consent and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 as amended from time to time.

26. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.

27. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.

28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.

29. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of septic tank.

30. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.

    (i) Where unavoidable to prevent loss of life or some property damage or

    (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.

31. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.

32. The industry shall comply with the code of practice as notified by the Government/ Board for the type of industries where the siting guidelines/ code of practice have been notified.

33. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner to prevent any pollutants from such materials from entering into natural water.

34. The industry shall re-circulate the entire cooling water and shall also re-circulate/reuse to the maximum extent the treated effluent in processes

35. The industry shall make necessary and adequate arrangements to hold back the effluent in case of failure of re-circulation system/ effluent treatment plant.

36. The industry shall make proper disposal of the effluent so as to ensure that no stagnation occurs inside and outside the industrial premises during rainy season and no demand period.

37. Where excessive storm water drainage or run off, would damage facilities necessary for compliance with terms and conditions of this consent, the applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.

38. The industry shall submit a detailed plan showing therein the distribution system for conveying waste-water for application on land for irrigation along with the crop pattern for the year.

39. The industry shall ensure that the effluent discharged by it is toxicity free.

40. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.

41. Drains causing oil & grease contamination shall will be segregated. Oil & grease trap shall be provided to recover oil & grease from the effluent.

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page4

42. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, and the monitoring shall be submitted to the Environmental Engineer of the concerned Regional Office by the 5th of every month.

43. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the consent and shall not carry out any expansion without the prior permission/NOC of the Board.

B. SPECIAL CONDITIONS

1. The industry will not transport its raw material (bio mass) / fuel (paddy straw) from more than 50 km radial distance (except through railways) at the site of the industry as per the condition of Environmental Clearance granted to it.
2. The industry will install sewerage treatment plant for treatment of domestic effluent to be generated from the labour quarters as per the condition of Environmental Clearance.
3. The industry will submit the details of Environment Cell constituted by the industry within one month.
4. The industry will comply with all the conditions of the Environmental Clearance granted to it vide no. DECC/SEIAA/2019/953 dt. 02.12.2019.



24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page5

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No : **Registered/Speed Post** **Date:**

Industry Registration ID: *R18FDK570077* **Application No :** *25390168*

To,

Jasbir Singh Awla
C/o Sukhbir Agro Energy Ltd., A-4, 2nd Floor, Green Park Main
Newdelhi,Newdelhi-110016

Subject: **Extension in the validity of consent to operate an outlet u/s 25/26 of Water (Prevention & Control of Pollution) Act, 1974 for discharge of effluent.**

1. Particulars of Consent to Operate under Water Act, 1974 granted to the industry

Consent to Operate Certificate No.	*CTOW/Renewal/FDK/2024/25390168*
Date of issue :	*08/07/2024*
Date of expiry :	*30/06/2025*
Certificate Type :	*Renewal*
Previous CTO No. & Validity :	*CTOW/Fresh/FDK/2020/11825855 From:24/01/2020 To:31/03/2024*

2. Particulars of the Industry

Name & Designation of the Applicant	*Sudhanshu Jindal, (Manager Accounts)*
Address of Industrial premises	*M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited, Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot, Jaito,Faridkot-151202*
Capital Investment of the Industry	*17060.3 lakhs*
Category of Industry	*Red*
Type of Industry	*1009-Power generation plant (except Wind and Solar renewable power plants of all capacities and Mini Hydel power plant of capacity <25MW)*
Scale of the Industry	*Large*
Office District	*Faridkot*

"This is computer generated document from OCMMS by PPCB"

M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202

Page1

In continuation to Board's letter no. 299 dated 24.01.2020, the validity of the 'consent to operate' granted to the industry under the Water Act, 1974 vide no CTOW/Fresh/FDK/2020/11825855 dated 24.01.2020, which was valid upto 31.03.2024, is hereby further extended up to 30.06.2025, subject to the same conditions as mentioned in the original consent alongwith following specific conditions that:-

1. The industry shall submit a comprehensive bank guarantee of Rs. 10.0 lac as an assurance to comply with the environmental laws, within 07 days to the Regional Office, Faridkot of the Board.
2. The industry shall provide adequate plantation i.e. 33% of the total area of the unit to comply with the EC condition, within 02 months.
3. The industry shall ensure to achieve the prescribed emission standards at all times.
4. The industry shall submit a comprehensive action plan for the disposal of its fuel ash with GPS enabled vehicles so as to trace the fuel ash disposal vehicles at any times.
5. The industry shall submit details regarding total land available (within the premises as well as outside the premises) for the disposal of its fuel ash along-with the carrying capacity of the said land area.
6. The industry shall engage an environmental expert to carry out its day to day activities related to the environment and shall submit the details of the same to the Regional Office, Faridkot of the Board.
7. The project proponent of the industry shall devise the ways & means to minimize the generation of all kind of wastes through REDUCE, REUSE and RECYCLE activities. The generated waste, if any, shall be properly handled and managed as per the provisions of the Municipal Solid Waste Rules 2016 in an environmentally sound manner.
8. The project proponent of the industry shall also develop the vermicomposting/composting to manage the biodegradable solid waste and shall not throw, burn or bury any solid wastes in open, outside premises or in drain / water bodies.
9. The project proponent of the industry shall ensure that there are no usages of plastic carry bags and single use plastic / thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocol or any other non-biodegradable material in the premises.
10. The project proponent of the industry shall perform / promote its Corporate Environment Responsibility (CER) activities as well as use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic.
11. The project proponent of the industry shall carry out awareness and activities for the themes / action points identified under Mission LiFE (Lifestyle for the Environment) by Ministry of Environment, Forests and Climate Change given at the website (http://missionlife-moefcc.nic.in).

This letter be remain appended with the original consent to operate granted to the industry under the provisions of Water Act, 1974 vide no. CTOW/Fresh/FDK/2020/11825855 dated 24.01.2020.

08/07/2024

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

Endst. No.: **Dated:**

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office, Faridkot.

"This is computer generated document from OCMMS by PPCB"

M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited, Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202

Page2

08/07/2024

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page3

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No : **Registered/Speed Post** **Date:**

Industry Registration ID: *R18FDK570077* **Application No :** *11805469*

To,

Sudhanshu Jindal
C/o Sukhbir Agro Energy Ltd., A-4, 2nd Floor, Green Park Main
Newdelhi,Newdelhi-110016

Subject: **Grant of 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.**

With reference to your application for obtaining 'Consent to Operate' u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are hereby, authorized to operate an industrial unit for discharge of the emission(s) arising out of your premises subject to the Terms and Conditions as mentioned in this Certificate.

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	*CTOA/Fresh/FDK/2020/11805469*
Date of issue :	*24/01/2020*
Date of expiry :	*31/03/2024*
Certificate Type :	*Fresh*

2. Particulars of the Industry

Name & Designation of the Applicant	*Sudhanshu Jindal, (Manager Accounts)*
Address of Industrial premises	*Sukhbir Agro Energy Limited, Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot, Jaito,Faridkot-151202*
Capital Investment of the Industry	*13211.0 lakhs*
Category of Industry	*Red*
Type of Industry	*1009-Power generation plant (except Wind and Solar renewable power plants of all capacities and Mini Hydel power plant of capacity <25MW)*
Scale of the Industry	*Large*
Office District	*Faridkot*
Consent Fee Details	Rs. 7,20,000/- vide R. no. 1846177977 dt. 05.12.2019
Raw Materials (Name with Quantity per day)	*Biomass (Paddy Straw) @ 17 TPH*
Products (Name with Quantity per day)	*Electricity / Electric Power @ 18 MW*
By-products, if any, (Name with Quantity per day)	--
Details of the machinery and process	*Fuel (paddy straw) - boiler furnace - steam generation - turbine - electric power to grid.*

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page1

Quantity of fuel required (in TPD) and capacity of boilers/ Furnace/Thermo heater etc.	*Paddy Straw @ 17 TPH for boiler of capacity 80 TPH* *HSD for DG set of capacity 380 KVA*
Type of Air Pollution Control Devices to be installed	*4 stage bag filter house installed as APCD with the boiler furnace of capacity 80 TPH* *Canopy with DG set*
Stack height provided with each boiler/thermo heater/Furnace etc.	*Stack of height 70 meter above GL provided with the boiler furnace of capacity 80 TPH* *Stack of height 4 meter above roof level with DG set*
Sources of emissions and type of pollutants	*Boiler of capacity 80 TPH* *DG set of capacity 380 KVA*
Standards to be acheived under Air(Prevention & Control of Pollution) Act, 1981	*As prescribed by the PPCB/CPCB/MOEF*

24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

Endst. No.: [redacted] **Dated:**

A copy of the above is forwarded to the following for information and necessary action please:
Environmental Engineer, Punjab Pollution Control Board, Regional Office, Faridkot

24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. This consent is not valid for getting power load from the Punjab State Power Corporation Ltd. or for getting loan from the financial institutions.
2. The industry shall apply for renewal /extension of consent at least two months before expiry of the consent.
3. The industry shall not violate any of the norms prescribed under the Air (Prevention & Control of Pollution) Act, 1981, failing which, the consent shall be cancelled / revoked.
4. The achievement of adequacy and efficiency of the air pollution control devices installed shall be the entire responsibility of the industry
5. The authorized fuel being used shall not be changed without the prior written permission of the Board.
6. The industry shall not discharge any fugitive emissions. All gases shall be emitted through a stack of suitable height, as per the norms fixed by the Board from time to time.
7. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

   Specifications of the port-holes shall be as under:-

   i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter (De) shall be calculated from the following equation to determine upstream, downstream distance:-

   De = 2 LW / (L+W)

   Where L= length in mts. W= Width in mts.

   ii) The sampling port shall be 7 to 10 cm in diameter

8. The industry shall put display Board indicating environmental data in the prescribed format at the main entrance gate.
9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.

   (i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	*Less than 2 ton/hr.*	9 meters or 2.5 times the height of neighboring building which ever is more
2.	*More than 2 ton/hr. to 5 ton/hr.*	12 meters
3.	*More than 5 ton/hr. to 10 ton/hr*	15 meters
4.	*More than 10 ton/hr. to 15 ton/hr*	18 meters
5.	*More than 15 ton/hr. to 20 ton/hr*	21 meters
6.	*More than 20 ton/hr. to 25 ton/hr.*	24 meters
7.	*More than 25 ton/hr. to 30 ton/hr.*	27 meters
8.	*More than 30 ton/hr.*	30 meters or using the formula H = 14 Qg0.3or H = 74 (Qp)0.24 Where Qg = Quantity of SO2 in Kg/hr. Qp = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	□-do-	+ 2.0 mt.
100-150 KVA	□□-do-	+ 2.5 mt.
150-200 KVA	□□-do-	+ 3.0 mt.
200-250 KVA	□□-do-	+ 3.5 mt.
250-300 KVA	□□ -do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h+0.2 (KVA)0.5$$

where h = height of the building in meters where the generator set is installed.

10. The pollution control devices shall be interlocked with the manufacturing process of the industry to ensure its regular operation.

11. The existing pollution control equipment shall be altered or replaced in accordance with the directions of the Board, and no pollution control equipment or chimney shall be altered or as the case may be erected or re-erected except with the prior approval of the Board.

12. The industry will provide canopy and adequate stack with the D.G sets so as to comply with the provision of notification No GSR-371 E dated 17-5-2002(amended from time to time) issued by MOEF under Environment (Protection) Act, 1986.

13. The Govt. of Punjab, Department of Science, Technology & Environment vide its notification no.4/46/92-3ST/2839 dt. 29/12/1993 has put prohibition on the use of rice husk as fuel after 1.4.1995 except the following:-

Ï¿½In the form of briquettes and use of rice husk in fluidized bed combustion.So the industry shall make the necessary arrangement to comply with the above notification.Ï¿½

14. The industry shall submit balance sheet of every financial year to the concerned Regional Office by 30th June of every year

15. That the industry shall submit a yearly certificate to the effect that no addition / up-gradation/ modification/ modernization has been carried out during the previous year otherwise the industry shall apply for the varied consent.

16. a) The industry shall ensure that at any time the emission do not exceed the prescribed emissions standards laid down by the Board from time to time for such type of industry /emissions.

    b) The industry shall ensure that the emissions from each stack shall conform to the following emission standards laid down by the Board in respect of the Industrial Boilers.

Steam Generating capacity A.	*Required particulate matter B.*	
Area upto 5 Km from Other than the periphery of I and Class-II town	*Other than 'A' class*	
Less than 2 ton/hr.	800 mg/NM3	1200 mg/NM3
2 ton to 10 ton/hr.	500 mg/NM3	1000 mg/NM3
Above 10 ton to 15 ton/hr	350 mg/NM3	500 mg/NM3
Above 15 ton/hr	150 mg/NM3	150 mg/NM3

All emissions normalized to 12% carbon dioxide.

17. The industry shall ensure that the Hazardous Wastes generated from the premises are handled as per the provisions of theHazardous Waste (Management, Handling and Transboundary Movement) Rules, 2008, without any adverse effect on the environment, in any manner.

18. The air pollution control equipments shall be kept at all time in good running condition and;

(i) All failures of control equipments.

(ii) The emissions of any air pollutant into the atmosphere in excess of the standards lay down by the Board occurring or being apprehended to occur due to accident or other unforeseen act or event. 'Shall be intimated through fax to the concerned Regional Office as well as to the Director of Factories, Punjab, Chandigarh as required under rule 10 of the Punjab State Board for the Prevention and Control of Air Pollution Rules, 1983'.

19. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per hectare all along the boundary of the industrial premises.

20. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.

21. The industry shall comply with the conditions imposed by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.

22. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-

(i) Once in Year for Small Scale Industries.

(ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.

23. The industry shall maintain the following record to the satisfaction of the Board :-

(i) Log books for running of air pollution control devices or pumps/motors used for it.

(ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.

(iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.

24. The industry will install the separate energy meter for running pollution control devices and shall maintain record with respect to operation of air pollution control device so as to the satisfy the Board regarding the regular operation of air pollution control device and monthly reading / record may be sent to the Board by the fifth of the following month.

25. The industry shall provide online monitoring system as applicable, for in stack emission and shall maintain the record of the same for inspection of the Board Officers.

26. The Board reserves the right to revoke the consent granted to the industry at any time, in case the industry is found violating the provisions of Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.

27. The industry shall comply with any other conditions laid down or directions issued in due course by the Board under the provisions of the Air (Prevention & Control of Pollution) Act, 1981.

28. Nothing in this consent shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected to under this or any other Act.

29. Any amendments/revisions made by the Board/CPCB/MOEF in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.

30. The industry shall dispose off its solid waste generated by the burning of fuel in an Environmentally Sound Manner within the premises/outside as approved by the Board, to avoid public nuisance and air pollution problem in the area.

31. The industry shall ensure that no air pollution problem or public nuisance is created in the area due to the discharge of emissions from the industry.

32. The industry shall provide adequate arrangement for fighting the accidental leakage/discharge of any air pollutant/gas/ liquids from the vessels, mechanical equipment's etc, which are likely to cause environmental pollution.

33. The industry shall not change or alter the manufacturing process(es) and fuel so as to change the quality/quantity of emissions generated without the prior permission of the Board.

34. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.

35. The industry shall obtain and submit Insurance cover under the Public Liability Insurance Act, 1991.

36. The industry shall provide proper and adequate air pollution control arrangements for control emission from its fuel handling area, if applicable.

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page5

37. The industry shall comply with the code of practice as notified by the Government/Board for the type of industries where the siting guidelines / Code of Practice have been notified.
38. The industry shall not cause any nuisance/traffic hazard in vicinity of the area
39. The industry shall ensure that the noise & air emission from D.G. sets do not exceed the standards prescribed for D.G. sets by the Ministry of Environment & Forests, New Delhi.
40. The industry shall ensure that there will not be significant visible dust emissions beyond the property line
41. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry.
42. The Industry shall ensure that its production capacity does not exceed the capacity mentioned in the consent and shall not carry out any expansion without the prior permission / NOC of the Board.

B. SPECIAL CONDITIONS

1. In case of failure to achieve the prescribed emission standards with the bag filter house as APCD, the industry will replace the bag filter house with ESP or better technology as prescribed by MoEF& CC, within a period of six months.
2. The industry will not use paddy straw (fuel) having ash content more than 15 % and it will submit fuel analysis reports to the Board time to time.
3. The industry will not transport its raw material (bio mass) / fuel (paddy straw) from more than 50 km radial distance (except through railways) at the site of the industry as per the condition of Environmental Clearance granted to it.
4. The industry will install continuous ambient air quality monitoring station for SPM, SO2 and NOx at one place within the plant premises and manual stations at three other locations outside plant area within 03 months as per the condition of Environmental Clearance.
5. The industry will install sewerage treatment plant for treatment of domestic effluent to be generated from the labour quarters as per the condition of Environmental Clearance.
6. The industry will utilize fuel ash as per the conditions of MoEF & CC.
7. The industry will submit the details of Environment Cell constituted by the industry within one month.
8. The industry will comply with all the conditions of the Environmental Clearance granted to it vide no. DECC/SEIAA/2019/953 dt. 02.12.2019.

24/01/2020

(Ruby Sidhu)
Asstt Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202.
Page6

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No :	**Registered/Speed Post**	**Date:**
Industry Registration ID:	*R18FDK570077*	**Application No :** *25390195*

To,

Sudhanshu Jindal
C/o Sukhbir Agro Energy Ltd., A-4, 2nd Floor, Green Park Main
Newdelhi,Newdelhi-110016

Subject: **Extension in the validity of consent to operate u/s 21 of Air (Prevention & Control of Pollution) Act, 1981 for discharge of emissions arising out of premises.**

1. Particulars of Consent to Operate under Air Act, 1981 granted to the industry

Consent to Operate Certificate No.	*CTOA/Renewal/FDK/2024/25390195*
Date of issue :	*08/07/2024*
Date of expiry :	*30/06/2025*
Certificate Type :	*Renewal*
Previous CTO No. & Validity :	*CTOA/Fresh/FDK/2020/11805469 From:24/01/2020 To:31/03/2024*

2. Particulars of the Industry

Name & Designation of the Applicant	*Sudhanshu Jindal, (Manager Accounts)*
Address of Industrial premises	*M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited, Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot, Jaito,Faridkot-151202*
Capital Investment of the Industry	*17060.3 lakhs*
Category of Industry	*Red*
Type of Industry	*1009-Power generation plant (except Wind and Solar renewable power plants of all capacities and Mini Hydel power plant of capacity <25MW)*
Scale of the Industry	*Large*
Office District	*Faridkot*

"This is computer generated document from OCMMS by PPCB"

M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202

Page1

In continuation to Board's letter no. 297 dated 24.01.2020, the validity of the 'consent to operate' granted to the industry under the Air Act, 1981 vide no CTOA/Fresh/FDK/2020/11805469 dt. 24.01.2020, which was valid upto 31.03.2024, is hereby further extended up to 30.06.2025, subject to the same conditions as mentioned in the original consent alongwith following specific conditions that :-

1. The industry shall submit a comprehensive bank guarantee of Rs. 10.0 lac as an assurance to comply with the environmental laws, within 07 days to the Regional Office, Faridkot of the Board.
2. The industry shall provide adequate plantation i.e. 33% of the total area of the unit to comply with the EC condition, within 02 months.
3. The industry shall ensure to achieve the prescribed emission standards at all times.
4. The industry shall submit a comprehensive action plan for the disposal of its fuel ash with GPS enabled vehicles so as to trace the fuel ash disposal vehicles at any times.
5. The industry shall submit details regarding total land available (within the premises as well as outside the premises) for the disposal of its fuel ash along-with the carrying capacity of the said land area.
6. The industry shall engage an environmental expert to carry out its day to day activities related to the environment and shall submit the details of the same to the Regional Office, Faridkot of the Board.
7. The project proponent of the industry shall devise the ways & means to minimize the generation of all kind of wastes through REDUCE, REUSE and RECYCLE activities. The generated waste, if any, shall be properly handled and managed as per the provisions of the Municipal Solid Waste Rules 2016 in an environmentally sound manner.
8. The project proponent of the industry shall also develop the vermicomposting/composting to manage the biodegradable solid waste and shall not throw, burn or bury any solid wastes in open, outside premises or in drain / water bodies.
9. The project proponent of the industry shall ensure that there are no usages of plastic carry bags and single use plastic / thermocol disposable items such as water bottles / water pouches/water cups, plates, forks, spoons, straw etc. and single use decorating material made of plastic-thermocol or any other non-biodegradable material in the premises.
10. The project proponent of the industry shall perform / promote its Corporate Environment Responsibility (CER) activities as well as use of alternatives of single use plastics (SUP) and awareness to discourage use of plastic.
11. The project proponent of the industry shall carry out awareness and activities for the themes / action points identified under Mission LiFE (Lifestyle for the Environment) by Ministry of Environment, Forests and Climate Change given at the website (http://missionlife-moefcc.nic.in).

This letter be remain appended with the original consent to operate granted to the industry under the provisions of Air Act, 1981 vide no. CTOA/Fresh/FDK/2020/11805469 dt. 24.01.2020.

08/07/2024

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

Endst. No.: **Dated:**

A copy of the above is forwarded to the following for information and necessary action please:

Environmental Engineer, Punjab Pollution Control Board, Regional Office, Faridkot.

"This is computer generated document from OCMMS by PPCB"
M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page2

08/07/2024

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
M/s Sael Limited. Previously Known As Sukhbir Agro Energy Limited,Vill. Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot,Jaito,Faridkot,151202
Page3

PUNJAB POLLUTION CONTROL BOARD

Zonal Office, Power House Road, Street No. 12, Bathinda

Website:- www.ppcb.gov.in

Office Dispatch No : **Registered/Speed Post** **Date:**

Industry Registration ID : *R18FDK570077* **Application No :** *20375725*

To,

Jasbir Singh Awla
C/o Sukhbir Agro Energy Ltd., A-4, 2nd Floor, Green Park Main
NewDelhi,NewDelhi-110016

Subject: **Fresh Authorization for operating a facility for Collection, Generation, Storage, Disposal, of Hazardous Wastes as per the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 .**

Jasbir Singh Awla of Sukhbir agro energy limited is hereby granted an authorisation based on the enclosed signed inspection report for Collection, Generation, Storage, Disposal, on the premises situated at Vill. sedha singh wala, tehsil jaitu, distt. faridkot, Jaito, Faridkot-151202

1. Particulars of Authorization granted to the Industry

Authorization No	*HWM/Fresh/FDK/2023/20375725*
Date of issue :	*18/01/2023*
Date of expiry :	*31/03/2027*
Authorization Type :	*Fresh*

2. Particulars of the Industry

Name & Designation of the Applicant	*Sudhanshu Jindal, (Manager Accounts)*
Address of Industrial premises	*Sukhbir agro energy limited, Vill. sedha singh wala, tehsil jaitu, distt. faridkot, Jaito,Faridkot-151202*
Capital Investment of the Industry	*13211.0 lakhs*
Category of Industry	*Red*
Type of Industry	*1009-Power generation plant (except Wind and Solar renewable power plants of all capacities and Mini Hydel power plant of capacity <25MW)*
Scale of the Industry	*Large*
Office District	*Faridkot*

"This is computer generated document from OCMMS by PPCB"
Sukhbir agro energy limited,Vill. sedha singh wala, tehsil jaitu, distt. faridkot,Jaito,Faridkot,151202
Page1

3. Particulars of Wastes

Category of Hazardous Waste as per the Schedules I,II and III of these rules	Authorised mode of disposal or recycling or utilisation or co-processing, etc	Quantity (ton/annum)
Schedule I 5.1-Used or spent oil	Generation , Collection , Storage , Disposal	0.08 KL/Annum

4. The authorisation is subject to the general and specific conditions as appended with the Authorization.

18/01/2023

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

Endst. No.: **Dated:**

A copy of the above is forwarded to the following for information and necessary action please:
Environmental Engineer, Punjab Pollution Control Board, Regional Office, Faridkot.

18/01/2023

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir agro energy limited,Vill. sedha singh wala, tehsil jaitu, distt. faridkot,Jaito,Faridkot,151202
Page2

TERMS AND CONDITIONS

A. GENERAL CONDITIONS

1. The authorised person shall comply with the provisions of the Environment (Protection) Act, 1986, and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the State Pollution Control Board.
3. The person authorised shall not rent, lend, sell, transfer or otherwise transport the hazardous and other wastes except what is permitted through this authorisation.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. The person authorised shall implement Emergency Response Procedure (ERP) for which this authorisation is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time;
6. The person authorised shall comply with the provisions outlined in the Central Pollution Control Board guidelines on ï¿½Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penaltyï¿½.
7. It is the duty of the authorised person to take prior permission of the State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.
10. The hazardous and other waste which gets generated during recycling or reuse or recovery or pre-processing or utilisation of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorisation.
11. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
12. An application for the renewal of an authorisation shall be made as laid down under these Rules.
13. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
14. Annual return shall be filed by June 30th for the period ensuring 31st March of the year.

B. SPECIFIC CONDITIONS

The industry shall ensure the compliance of the Hazardous and Other Wastes (Management and Transboundary Movement) Rules, 2016 and shall get is hazardous waste lifted to the authorized recycler only.

18/01/2023

(Ruby Sidhu)
Environmental Engineer
For & on behalf
of
(Punjab Pollution Control Board)

"This is computer generated document from OCMMS by PPCB"
Sukhbir agro energy limited,Vill. sedha singh wala, tehsil jaitu, distt. faridkot,Jaito,Faridkot,151202
Page3

Chapter – 10

COMPLIANCE OF ENVIRONMENTAL STANDARDS

The industry has installed Sewage Treatment Plant (STP) for the treatment of domestic effluent. The industry got the monitoring conducted of STP from the Board's Lab / NABL Accredited Laboratory on dated 06.01.2024. All the times, the various parameters are within the limits prescribed by Punjab Pollution Control Board for such discharges on to land for plantation purposes. (Analysis Report Attached)

The industry has installed 01 no. boiler of Steam Generation Capacity 80 TPH. The emissions are discharged from boiler through adequate stack height i.e. 70.75 metres from the ground level. All the times, the concentration of SPM level remains within the limits prescribed by PPCB. As per the latest analysis conducted by the NABL approved Lab. on dated 27.06.2024 during financial year 2023-24, the various parameters are within the limits prescribed by PPCB. (Analysis Report Attached)



Environ Tech Laboratories

CPCB Recognized under EPA, 1986; ISO 9001:2015; OHSAS ISO 45001:2018

Plot No. C-101, Industrial Area, Phase -VII, Sector-73, Mohali, Punjab- 160059
Mob. 9464000081, 9417220081, 9417210081, (O) 94630-00081, 0172-4630081
GSTIN : 03BPEPS9693P1ZV, PAN No. BPEPS9693P

TC-5879

TEST REPORT

To
M/s SUKHBIR AGRO ENERGY LD.
PADDY STRAW BASED POWER PLAN
18 MW, SEDHA SINGH WALA, JAITU

Customer Reference No.	----	**Report No.**	ETL/13012024/3198
Sample Code given by Customer	----	**Report Date**	13.01.2024
Type of sample	**Waste Water**	**ULR No.**	**TC587924000001079F**
Sample Condition	**Sastisfactory**	**Sample Reg No.**	ETL/E/08012024/3198
Quantity	2+2 Liter	**Date of Sampling**	06.01.2024
Sampling Location	**STP Outlet (After ACF Filter)**	**Date of sample receipt**	08.01.2024
Sample Submitted By	Mr. K. K. Mishra (Field Officer)	**Date of Test Performance**	08.01.2024 – 13.01.2024
Sampling Procedure	As per SOP	**Packing Mode**	Plastic Bottle & Glass Bottle

Discipline: Chemical **Group: Environment And Pollution**
Sample Description: Clear & Colorless water

S. No.	PARAMETERS	TEST RESULTS	STANDARDS (As per CPCB Rules)	TEST METHODS
1.	pH	**7.38**	6.5 – 9.0	IS:3025 (Part11)2022
2.	Total Suspended Solids, mg/L	**15.4**	100	IS:3025(Part-17)2022
3.	Total Dissolved Solid, mg/L	**2096**	----	IS:3025(Part-16)2023
4.	Bio-chemical Oxygen Demand at 27°C, 3 days, mg/L	**27.4**	30	IS: 3025(Part-44) 2023
5.	Chemical Oxygen Demand, mg/L	**62.4**	----	IS:3025(Part-58)2023
6.	Oil and Greases, mg/L	**BDL (DL=5)**	----	IS:3025(Part-39)2021

Note: **BDL: denotes Below Detection Limit** **DL: denotes Detection Limit**

1. The test report refers only to tested sample and applicable parameters.
2. This report can neither be used as evidence in the court of law nor can it be used in part or full in any media without prior permission.
3. The sample will be destroyed after thirty days from the date of issue of test report unless otherwise specified.

(Authorized Signatory)
AJEET SINGH SAINI
Technical Manager
Environ Tech Laboratories

Page 1 of 1

****END OF REPORT****

Centre for Environment and Food Technology Pvt. Ltd.

An ISO 9001: 2015, ISO 45001: 2018 (OHSAS); ISO/IEC 17025: 2017
NABL & IQAS Accredited, FSSAI and MoEF Recognised Testing Laboratory

TEST REPORT

ISSUED TO: M/s SUKHBIR AGRO ENERGY LTD.
PADDY STRAW BASED POWERPLANT,
18 MW, SEDHA SINGH WALA, JAITU, DISTRICT FARIDKOT, PUNJAB

Report No.	CEFT|2406|853	Report Date	04.07.2024
P.O. No.	Nil	Type of sample	Stack Emission (Boiler)
Sample Code given by Customer	Nil	Date of sampling	27.06.2024
		Date of Sample Receipt	28.06.2024
Sampling Location	Within Premises	Sample I.D.	CEFT|GEN|2406|853
Sample Collected By	Lab Person	Date of test	28.06.2024 – 04.07.2024
Sampling procedure	As per SOP		

TECHNICAL DATA

1	Instrument Used for Sampling	Stack Monitoring Instrument (VSSI)
2	Source of Emission	Stack of Boiler (80 TPH)
3	Fuel used in source	Paddy Bales
4	Type of stack	Round of Metal
5	Velocity of fuel gases	9.44 m/s
6	Sampling Duration	55 min.
7	Ambient air temperature	34°C
8	Stack temperature	177°C
9	Stack height from ground level	72 m
10	Diameter of stack	2500 mm

S. NO	PARAMETERS	RESULT (mg/Nm^3)	Limits (mg/Nm^3) CPCB-2010	TEST METHOD
1.	Particulate Matter (12% CO_2 Normalization), mg/Nm^3	25	<30	IS:11255(Pt -1)
2.	Sulphur Dioxide (as SO_2), mg/Nm^3	77	<100	IS 11255 Part 2
3.	Oxide of Nitrogen(NOx as NO_2), mg/Nm^3	80	<100	IS 11255 Part 7
4.	Mercury (as Hg)	ND	...	USEPA 0060

Page No.1/1

End of Report

Branch Office-111A, Sunder Enclave,First Floor, Near maa Shimla Homes,Opposite radha swami Satsung Bhawan, Kharar, Mohali,Punjab-140301

Printed by:
Mr. Suraj

Authorised Signatory

Note : 1. The test results are related to the sample/ tested as identified.
2. The sample will be discarded after retention time of 7 days unless otherwise specified.
3. Any Discrepancy found in the test report may be communicated within seven days.
4. This report shall not be reproduced, cannot be used as evidence in the court of law and should not be used in any advertising media without written permission of CEO, CEFT Pvt. Ltd.
5. The Court Jurisdiction will be Delhi.
6. Customer complaint register is available at the laboratory.

Regd. Address - Bldg. No. 17, 1st & 2nd Floor, DLF Industrial Area, Moti Nagar, New Delhi - 110015 Ph.: - 011-45012722
Email: info@ceftlab.cor "ebsite : www.ceftlab.com

Chapter – 11

FORM – V
ENVIRONMENTAL STATEMENT

Environmental Statement for the financial year ending the 31st March 2024

PART – A

(i)	Name and address of the owner / occupier of the industry operation or process	:	Mr. Ambuj Mishra– Vice President (ESG&S) SAEL Limited Previously known as Sukhbir Agro Energy Limited Village Sedha Singh Wala, Tehsil Jaitu, Distt. Faridkot-151205, Punjab
(ii)	Industry category Primary - (STC Code) Secondary - (SIC Code)	: : :	Large Scale, Red Category Power Generation Plant
(iii)	Production capacity - Units --	:	Electricity / Electric Power @ 18 MWH
(iv)	Year of Establishment	:	2019
(v)	Date of last environment statement submitted	:	September, 2023

PART – B

Water and Raw Material Consumption

(i) Water Consumption m^3/day
(on an annual average basis)

Process NIL

Cooling/Boiler 1380 KLD

Domestic 8.5 KLD

Sr. No.	Name of Products	Water Consumption	
		During the previous financial year(2022-23)	During the current financial year (2023-24)
		(1)	(2)
1	Electricity / Electric Power (149945.80 MWH)	442895KL	506790KL

(ii) Raw Material Consumption

Sr. No.	Name of Raw Materials	Name of Products	Process water consumption per unit of product output	
			During the previous financial year (2022-23)	During the current financial year (2023-24)
			(1)	(2)
1	Paddy Bales (181389.46 MT)	Electricity / Electric Power (149945.80MWH)	3.33 KL/MWH	3.38 KL/MWH

PART – C

Pollution discharged to environment/unit of output

(Parameter as specified in the consent issued)

	Pollutants (mg/l)	Conc. of Pollutants Discharged (mg/l)	Quantity of Pollutants Discharged (Kg/Day)	Standards Limit (mg/l)*	Percentage of variation from prescribed standard limit with reasons
(a)	**Waste Water Discharge**				
1	pH	7.38	--	6.5 – 90	Well within the prescribed limits
2	TSS	15.4	0.10	100	Well within the prescribed limits
3	TDS	2096	13.62	2100	Well within the prescribed limits
4	BOD	27.4	0.18	30	Well within the prescribed limits
5	COD	62.4	0.41	250	Well within the prescribed limits
6	O & G	BDL (DL=5)		10	Well within the prescribed limits

(b)	**Air (PM) mg/Nm^3**				
1	Stack attached to Boiler (80 TPH)	25	--	150	Well within prescribed limits all the time

*Note: - Unit (mg/l) * is not applicable to pH*

PART – D

HAZARDOUS WASTES

[As specified under Hazardous & Other Wastes (Management& Transboundary Movement) Rules, 2016]

Hazardous Wastes		Total Quantity	
		During the previous financial year (2022-23)	During the current financial year (2023-24)
a)	**From Process**	NA	NA
b)	**From Pollution Control Facility**		
	NA	NA	NA
c)	**From D.G. Sets**		
	Used Spent Oil	NIL	0.22 KL
d)	**Others**		
	NA	NA	NA

PART – E

SOLID WASTES

Solid Waste		Total Quantity During the Financial Year	
		Previous	Current
		2022-23	2023-24
(a)	**From Process**		
	NA	NA	NA
(b)	**From Pollution Control Facility**		
	STP Sludge	--	--
	Boiler Ash	29778.65 MT	36514.11 MT
(c)	**Others**		
	NA	NA	NA

a) From Process : Not Applicable

b) From Pollution Control Facilities :

i) Boiler Ash is disposed off in low lying areas in an environmentally sound manner. The industry has made agreements with 14 nos. nearby villagers for lifting & disposal of solid waste (Boiler Ash) generated from industry.

ii) STP Sludge will be utilized as manure in the plantation area as and when generated.

c)	1)	Quantity recycled or re-utilized within the unit	:	Not Applicable
	2)	Sold	:	Not Applicable
	3)	Disposal	:	i) Boiler Ash is disposed off in low lying areas in an environmentally sound manner. The industry has made agreements with 14 nos. nearby villagers for lifting & disposal of solid waste (Boiler Ash) generated from industry. ii) STP Sludge will be utilized as manure in the plantation area as and when generated.

PART – F

Please specify the characterizations (in terms of composition of quantum) of hazardous as well as solid wastes and indicate disposal practice adopted for both these categories of wastes.

Hazardous Waste		Quantity	Collection / Storage	Disposal
(a)	**From Process**			
	NA	NA	NA	NA
(b)	**From D.G. Sets**			
	Used/Spent Oil	0.22 KL	Hazardous Waste Storage Facility	To authorized recycler of the Board
(c)	**Others**			
	NA	NA	NA	NA

Solid Waste	Quantity	Disposal
From Process		
NA	NA	NA
From Pollution Control Plant		
STP Sludge	--	STP Sludge will be utilized as manure in the plantation area as and when generated.
Boiler Ash	36514.11MT	Boiler Ash is disposed off in low lying areas in an environmentally sound manner. The industry has made agreements with 14 nos. nearby villagers for lifting & disposal of solid waste (Boiler Ash) generated from industry

PART – G

Impact of the pollution abatement measures taken on conservation of natural resources and on the cost of production.

➢ **Conservation of Energy: Industry accords high priority to conservation of energy and has taken number of measures in this direction such as:**

- Maximum utilization of natural light where possible, hence saving in energy consumption.
- Utilizing maximum power factor by installing capacitors and saving in maximum demand power.
- Timely maintenance of machines.
- Constant replacement of outdated energy intensive equipments with latest technology energy saving equipments.
- Mostly automated machines, thus eliminating idle running of equipments.
- Continuation of installing LED's by replacement of CFL/ conventional system.

➢ **Energy efficiency measures adopted for fuel economy in Boiler:**

- Optimum capacity utilization.
- Operating at the desired temperature.
- Complete combustion with minimum excess air.
- Waste heat recovery from the flue gases.
- Maintaining correct amount of furnace draught.
- Maintaining correct heat distribution.

➢ **Minimizing Water Consumption**

Water consumption has been minimized by ensuring water conservation, awareness programmes for the awareness of all workers of the industry. The followingmeasures are being adopted.

- Use of water efficient plumbing fixtures. Water efficient plumbing fixtures use less water with no marked reduction in quality and service.
- Leak detection and repair techniques.
- Awareness campaign to disseminate knowledge on strategies and technologies that can be used for water conservation.
- The blow down water from boiler is taken into the reservoir.
- RO reject water is taken into water reservoir.
- Rain Water from rooftop is collected into the reservoir.
- The water consumption of the industry was 3.33 KL/MWH during the F.Y. 2022-23 and water consumption was @ 3.38 KL/MWH during the F.Y. 2023-24. Thus, the water consumption of the industry is almost the same per MWH of power generation.

PART – H

Additional measures/investment proposal for environmental protection including abatement of pollution, prevention of pollution.

- Large area has been covered with trees & plantation and continuance of plantation of trees in the green belt area.
- Creating awareness regarding environment and safety among employees.
- Tree plantation has good survival rate.
- The plantation area developed by the industry is almost 3.0 acres and the industry is in the process of continue developing plantation area.
- Industry has in place system for controlling, monitoring & complying with environmental standards and legislations. Several environmental initiatives are taken from time to time such as energy conservation measures and waste management, to ensure cleaner and healthier environment.



PART – I

Any other particulars for improving the quality of the environment.

- The industry has installed 01 No. of D.G. Set of 500 KVA capacity which is equipped with canopy. The industry has installed adequate stack height of 4.5 meter above the roof level of the D.G. set.

- Environment Friendly Atmosphere is maintained in the industry.

- Trainings for development of knowledge of the employees are conducted periodically.


- The industry has been advised to file Annual Returns every year well before the due date under the HWM Rules, 2016 and the BMW Management Rules, 2016.

- The industry made agreement with M/s Medwaste Solutions Pvt. Ltd. Bidowali, Distt. Muktsar Sahib for lifting & disposal of Bio-medical waste generated from the industry.

- The industry will continuously remain performing public awareness activities like tree plantation, celebrating of World Environment Day and other activities like updating of Environmental Data periodically.

- The industry has constructed gallery and room in the Govt. Primary Smart School in Village Sedha Singh Wala, Jaitu on dated 15.11.2023 and providing TMT bars for construction work at Shri Gurudwara Sahib, Dal Singh Wala on dated 12.02.2024 during the financial year F.Y. 2023-24 under the CSR activities. The photographs of the same are as given below.


ਕਮਰਾ
(CLASSROOM)
(UNDER CSR ACTIVITIES)
ਕਾਰਪੋਰੇਟ ਸਮਾਜਿਕ ਉੱਤਰਦਾਇਤਵ ਅਧੀਨ
ਵੱਲੋਂ: ਸੇਲ ਲਿਮਟਿਡ (ਪਾਵਰ ਪਲਾਂਟ)
ਪਰਾਲੀ ਅਧਾਰਿਤ
ਮਿਤੀ 15-11-23
ਦੇਸ ਪ੍ਰਦੇਸ
ਸੁਖਬੀਰ ਐਗਰੋ ਐਨਰਜੀ ਲਿਮਟਿਡ ਵੱਲੋਂ
ਬਦਲੀ ਗਈ ਸਕੂਲ ਦੀ ਨੁਹਾਰ



Annexure - VIII

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC1373525300002216F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	19/03/2025
Analysis Date	:	19/03/2025 to 24/03/2025
Job Order No. & Date	:	**25300002216 & 19/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Stack Emission Sample
Type of Sample	:	Air Sample
Date & Time of Sample Collection	:	18/03/2025 & 01:05 pm
Location / Source of Sample	:	Boiler 80 TPH
Sample Quantity	:	01
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha

OBSERVATIONS:

Ambient air temperature, (°C)	:	36.8
Stack gas temperature, (°C)	:	97
Stack gas velocity (m/s), average	:	14.41
Duration of sample collection, (minutes)	:	35
Stack diameter at sampling point, (m)	:	2.5
Height of stack from ground level, (m)	:	72
Any Other Information	:	NA

Test Result

SN	Parameter(s)	Results	Regulatory Standards CPCB-2010	Test Method (S)
1.	Particulate Matter at 12% CO_2, mg/Nm^3	28	<30	IS:11255 (Part 1)1985
2.	Oxides of Nitrogen, mg/Nm^3	74	<100	ITL/SOP-SE/01-04:2023
3.	Sulphur Dioxide ,mg/Nm^3	76	<100	ITL/SOP-SE/01-06:2023

----------End of the Report----------

Chemical Discipline
Authorized Signatory
Dr. Uma Shanker Sain

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount**. 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC137352530000220 9F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	19/03/2025
Analysis Date	:	19/03/2025 to 24/03/2025
Job Order No. & Date	:	**25300002209 & 19/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Ambient Air Quality Monitoring (AAQM)
Type of Sample	:	Air sample
Weather condition	:	Temp-Max -29°C, Min-15°C, Humidity-29%, Sunny
Date & Time of Sample Collection	:	18/03/2025 & 09:45 am
Location / Source of Sample	:	Near main gate (Near to Major District Road-43)
Sample Quantity	:	01
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

SN	Parameters	Results	Regulatory Standards (NAAQS)*	Test Method (S)
1.	Particulate Matter,(size <10 µm),or PM 10 ,µg/m^3	96	100	IS: 5182 (Part-23) 2006
2.	Particulate Matter,(size <2.5 µm),or PM 2.5 µg/m^3	54	60	IS: 5182(Part-24) 2019
3.	Nitrogen Dioxide,(NO_2), µg/m^3	21	80	IS:5182 (Part 6) 2006
4.	Sulphur Dioxide, (SO_2), µg/m^3	24	80	IS:5182 (Part 2) Sec-1, 2023
5.	Ammonia, (NH_3), µg/m^3	23	400	IS : 5182 (Part-25) 2018
6.	Ozone, (O_3), µg/m^3	20	180	IS: 5182, (Part-9) 1974
7.	Lead Pb, µg/m^3	<0.1	1.0	IS: 5182 (Part-22) 2004
8.	Arsenic As, ng/m^3	<2.0	6.0	USEPA Method IO-3.2: 1999
9.	Nickel Ni, ng/m^3	<5.0	20	IS : 5182 (Part- 26) 2020
10.	Benzene, (C_6H_6) ,µg/m^3	<1.0	5.0	IS: 5182, (Part11), 2006
11.	Benzo (α) Pyrene,(B α P), ng/m^3	<0.5	1.0	IS: 5182, (Part12), 2004
12.	Carbon Monoxide,(CO),mg/m^3	<1.14	4.0	IS:5182 (Part 10) 1999

Note - *NAAQS:-National ambient air quality standards.

----------End of the Report----------

24/03/25

Authorized Signatory
Mr. Kailash Chandra Bhatt
Chemical Discipline

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount**. 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC - 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC1373525300002210F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	19/03/2025
Analysis Date	:	19/03/2025 to 24/03/2025
Job Order No. & Date	:	**25300002210 & 19/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Ambient Air Quality Monitoring (AAQM)
Type of Sample	:	Air sample
Weather condition	:	Temp-Max -29°C, Min-15°C, Humidity-29%, Sunny
Date & Time of Sample Collection	:	18/03/2025 & 10:02 am
Location / Source of Sample	:	Near Boiler
Sample Quantity	:	01
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

SN	Parameters	Results	Regulatory Standards (NAAQS)*	Test Method (S)
1.	Particulate Matter,(size <10 µm),or PM 10 ,µg/m^3	57.4	100	IS: 5182 (Part-23) 2006
2.	Particulate Matter,(size <2.5 µm),or PM 2.5,µg/m^3	39	60	IS: 5182(Part-24) 2019
3.	Nitrogen Dioxide,(NO_2), µg/m^3	19	80	IS:5182 (Part 6) 2006
4.	Sulphur Dioxide, (SO_2), µg/m^3	22	80	IS:5182 (Part 2) Sec-1, 2023
5.	Ammonia, (NH_3), µg/m^3	21	400	IS : 5182 (Part-25) 2018
6.	Ozone, (O_3), µg/m^3	19	180	IS: 5182, (Part-9) 1974
7.	Lead Pb, µg/m^3	<0.1	1.0	IS: 5182 (Part-22) 2004
8.	Arsenic As, ng/m^3	<2.0	6.0	USEPA Method IO-3.2: 1999
9.	Nickel Ni, ng/m^3	<5.0	20	IS : 5182 (Part- 26) 2020
10.	Benzene, (C_6H_6) ,µg/m^3	<1.0	5.0	IS: 5182, (Part11), 2006
11.	Benzo (α) Pyrene,(B α P), ng/m^3	<0.5	1.0	IS: 5182, (Part12), 2004
12.	Carbon Monoxide,(CO),mg/m^3	<1.14	4.0	IS:5182 (Part 10) 1999

Note - *NAAQS:-National ambient air quality standards.

----------End of the Report----------

Chemical Discipline
Authorized Signatory
Dr. Uma Shanker Sain

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount.** 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

ITLCH Labs Private Limited

(formerly known as Industrial Testing Laboratory and Consulting House)
A Government Approved Laboratory

TC - 13735

Test Report

Issued to:
M/S SAEL Limited
(Formerly Sukhbir Agro Energy Limited)
18 MW , Jaito Bajakhana road , Teh.- Jaito
Village-Sedha Singh Wala Faridkot (PB)

ULR Number	:	**TC1373525300002211F**
Report Issue Date	:	24/03/2025
Sample Receipt Date	:	19/03/2025
Analysis Date	:	19/03/2025 to 24/03/2025
Job Order No. & Date	:	**25300002211 & 19/03/2025**
Work Order No. & Date	:	NA

Nature and Description of Sample	:	Ambient Air Quality Monitoring (AAQM)
Type of Sample	:	Air sample
Weather condition	:	Temp-Max -29°C, Min-15°C, Humidity-29%, Sunny
Date & Time of Sample Collection	:	18/03/2025 & 10:25 am
Location / Source of Sample	:	Near Clarifier
Sample Quantity	:	01
Sample Condition	:	OK
Sampling Method	:	ITL/SOP-7.3/01
Name of the Sample Collecting Officer	:	Hari Shankar Kushwaha
Any Other Information (if any)	:	NA

Test Results

SN	Parameters	Results	Regulatory Standards (NAAQS)*	Test Method (S)
1.	Particulate Matter,(size <10 µm),or PM 10 ,µg/m^3	65	100	IS: 5182 (Part-23) 2006
2.	Particulate Matter,(size <2.5 µm),or PM 2.5,µg/m^3	42	60	IS: 5182(Part-24) 2019
3.	Nitrogen Dioxide,(NO_2), µg/m^3	22	80	IS:5182 (Part 6) 2006
4.	Sulphur Dioxide, (SO_2), µg/m^3	19	80	IS:5182 (Part 2) Sec-1, 2023
5.	Ammonia, (NH_3), µg/m^3	18	400	IS : 5182 (Part-25) 2018
6.	Ozone, (O_3), µg/m^3	17	180	IS: 5182, (Part-9) 1974
7.	Lead Pb, µg/m^3	<0.1	1.0	IS: 5182 (Part-22) 2004
8.	Arsenic As, ng/m^3	<2.0	6.0	USEPA Method IO-3.2: 1999
9.	Nickel Ni, ng/m^3	<5.0	20	IS : 5182 (Part- 26) 2020
10.	Benzene, (C_6H_6) ,µg/m^3	<1.0	5.0	IS: 5182, (Part11), 2006
11.	Benzo (α) Pyrene,(B α P), ng/m^3	<0.5	1.0	IS: 5182, (Part12), 2004
12.	Carbon Monoxide,(CO),mg/m^3	<1.14	4.0	IS:5182 (Part 10) 1999

Note - *NAAQS:-National ambient air quality standards.

----------End of the Report----------

Chemical Discipline
Authorized Signatory
Dr. Uma Shanker Sain

NOTE: 1. The results are related to the tested items only **2. Total liability of our laboratory is limited to the invoiced amount**. 3. Sample will be destroyed after 15 days from the date of issue of test certificate unless otherwise specified. **4. Report is not to be produced wholly or in part as an evidence in the court of law and should not be used in any advertising media without the permission in writing from laboratory.** 5. In case of any reconfirmation of the contents of the test report is required, please contact the authorized signatory of the test report within 15 days of the issue of the test report.

Ghalori Gate, Patiala 147001, Punjab, (India)
Phone: 0175-2320175 (9 a.m. – 5 p.m.), 8195071555, 9915584242, 9872584242; Email: info@itlch.com
CIN: U71200PB2023PTC059805

Annexure - IX

3	**05-07-2024**	**Promotion of Health Care** Donated an **Anesthesia Machine** to **Civil Hospital Bajakhana, District Faridkot (PUNJAB).** This machine has been handed over to the Senior Medical Officer, **Dr. Avtarjeet Singh.**	**Rs. 59360/-**	
4	**03-12-2024**	This time, we installed a **150-liter RO plant**, complete with a full setup, at **Govt. High School, Rahuwala Okandwala, District Faridkot.**	**Rs.90000/-**	

5	**10-09-2024**	We organized a **Blood Donation Camp** at Unit-11 Jaitu Plant in collaboration with the **Bharat Mata Abhinandan Organisation (Indrani Blood Center).** Around 40 employees participated by donating their blood. This initiative emphasized the importance of social responsibility and the profound impact of collective efforts in saving lives. Each donation will contribute to the well-being of those in need, leaving the donors with a sense of fulfillment and pride. Such events foster a culture of compassion, unity, and health awareness, proving that small acts of kindness can create lasting and positive change in the community.	

ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਮੌਕੇ ਖੂਨਦਾਨ ਕੈਂਪ ਲਗਾਇਆ

ਪੰਜਾਬ ਦਾ ਖੁਲਾਸਾ

ਜੈਤੋ, 11 ਸਤੰਬਰ (ਮਨਜੀਤ ਸਿੰਘ ਢੱਲਾ)- ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਸੰਗਠਨ (ਰਜਿ.) ਦੇ ਸੰਸਥਾਪਕ ਅਤੇ ਰਾਸ਼ਟਰੀ ਪ੍ਰਧਾਨ ਡਾ ਪ੍ਰਕਾਸ਼ ਦਾਸ ਮਿੱਤਲ ਦੀ ਯੋਗ ਅਗਵਾਈ ਹੇਠ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਸੰਗਠਨ ਪੰਜਾਬ ਇਕਾਈ ਨੇ 11 ਸਤੰਬਰ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਮਨਾਇਆ। ਉਪਰੋਕਤ ਵਿਸ਼ੇ 'ਤੇ ਜਾਣਕਾਰੀ ਦਿੰਦੇ ਹੋਏ ਜਥੇਬੰਦੀ ਦੇ ਸੂਬਾ ਪ੍ਰਧਾਨ ਰਾਜੀਵ ਗੋਇਲ ਨੇ ਦੱਸਿਆ ਕਿ ਕਰੀਬ ਇੱਕ ਦਹਾਕਾ ਪਹਿਲਾਂ ਸਾਡੀ ਸੰਸਥਾ ਦੇ ਸੰਸਥਾਪਕ ਅਤੇ ਰਾਸ਼ਟਰੀ ਪ੍ਰਧਾਨ ਦੇ ਮਨ ਵਿੱਚ ਇਕ ਵਿਚਾਰ ਪੈਦਾ ਹੋਇਆ ਕਿ ਅਸੀਂ ਭਾਰਤ ਮਾਤਾ ਦੀ ਸੈ-ਸੇਵਾ ਤਾਂ ਕਰਦੇ ਹਾਂ, ਪਰ ਭਾਰਤ ਮਾਤਾ ਦਾ ਕੋਈ ਵਿਸ਼ੇਸ਼ ਦਿਹਾੜਾ ਨਹੀਂ ਮਨਾਉਂਦੇ।ਇਸ ਸਬੰਧੀ ਉਨ੍ਹਾਂ ਨੇ ਆਪਣੇ ਸਾਥੀਆਂ ਨਾਲ ਵਿਚਾਰ-ਵਿਟਾਂਦਰਾ ਕੀਤਾ ਕਿ ਨਾ ਤਾਂ 15 ਅਗਸਤ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਦਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਕਿਹਾ ਜਾ ਸਕਦਾ ਹੈ ਤੇ ਨਾਂ ਹੀ 26 ਜਨਵਰੀ ਨੂੰ। ਇਸ ਤੋਂ ਬਾਅਦ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਮਨਾਉਣ ਲਈ ਕੋਈ ਦਿਨ ਨਿਸ਼ਚਿਤ ਕਰਨ ਦਾ ਫੈਸਲਾ ਕੀਤਾ ਗਿਆ, ਇਸ ਦੌਰਾਨ ਡਾ ਪ੍ਰਕਾਸ਼ ਦਾਸ ਮਿੱਤਲ ਨੇ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਸੰਗਠਨ ਦਾ ਗਠਨ ਕੀਤਾ ਅਤੇ ਇਸ ਤੋਂ ਬਾਅਦ, ਡੂੰਘਾਈ ਨਾਲ ਅਧਿਐਨ ਕਰਨ ਤੋਂ ਬਾਅਦ, ਸੰਗਠਨ ਨੇ ਇਹ ਸੋਚਿਆ 11 ਸਤੰਬਰ 1893 ਨੂੰ ਜਦੋਂ ਸਵਾਮੀ ਵਿਵੇਕਾਨੰਦ ਨੇ ਅਮਰੀਕੀ ਸ਼ਹਿਰ ਸ਼ਿਕਾਗੋ ਵਿੱਚ ਭਾਰਤ ਮਾਤਾ ਦੀ ਸੈ-ਸੇਵਾ ਕਰਵਾਈ ਸੀ ਤਾਂ ਕਿਉਂ ਨਾ ਉਸੇ ਦਿਨ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਵਜੋਂ ਮਾਨਤਾ ਦਿਵਾਈ ਜਾਵੇ ? ਲੰਮੇਂ ਵਿਚਾਰ-ਵਟਾਂਦਰੇ ਤੋਂ ਬਾਅਦ 11 ਸਤੰਬਰ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਵਜੋਂ ਮਨਾਉਣ ਲਈ ਸਹਿਮਤੀ ਬਣੀ ਅਤੇ 11 ਸਤੰਬਰ 2018 ਨੂੰ ਪਹਿਲੀ ਵਾਰ ਹਰਿਆਣਾ ਦੇ ਭਿਵਾਨੀ ਸ਼ਹਿਰ ਵਿੱਚ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਮਨਾਇਆ ਗਿਆ, ਜੋ ਅੱਜ ਭਾਰਤ ਦੇ 19 ਰਾਜਾਂ ਵਿੱਚ ਮਨਾਇਆ ਜਾ ਰਿਹਾ ਹੈ। ਇਸੇ ਦੇ ਚੱਲਦਿਆਂ ਪੰਜਾਬ ਵਿੱਚ ਤੀਜੀ ਵਾਰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਸੂਬਾਈ ਪ੍ਰਧਾਨ ਰਾਜੀਵ ਗੋਇਲ ਬਿੱਟੂ ਬਾਦਲ ਦੀ ਅਗਵਾਈ ਵਿਚ ਮਨਾਇਆ ਜਾ ਰਿਹਾ ਹੈ।



ਇਸ ਵਾਰ 11 ਸਤੰਬਰ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਦਿਵਸ ਮੌਕੇ SAEL ਪਾਵਰ ਪਲਾਂਟ ਦੇ ਐਚ ਓ ਡੀ ਅਕਾਊਂਟਸ ਸੁਧਾਂਸ਼ੂ ਸਿੰਦਲ ਦੇ ਉੱਦਮ ਸਦਕਾ SAEL ਪਲਾਂਟ ਸੇਚਾ ਸਿੰਘ ਵਾਲਾ ਵਿਖੇ ਖੂਨਦਾਨ ਕੈਂਪ ਲਗਾਇਆ ਗਿਆ, ਜਿਸ ਵਿੱਚ ਖੂਨ ਇਕੱਤਰ ਕਰਨ ਲਈ ਇੰਦਰਾਨੀ ਬਲੱਡ ਬੈਂਕ ਬਠਿੰਡਾ ਦੀ ਟੀਮ ਵਿਸ਼ੇਸ਼ ਤੌਰ 'ਤੇ ਪਹੁੰਚੀ। ਇੰਦਰਾਣੀ ਬਲੱਡ ਬੈਂਕ ਦੇ ਮਾਲਕ ਨਿਲੇਸ਼ ਪਠਾਨੀ ਨੇ ਦੱਸਿਆ ਕਿ ਇਸ ਕੈਂਪ ਦੌਰਾਨ 32 ਖੂਨਦਾਨੀਆਂ ਨੇ 1-1 ਯੂਨਿਟ ਖੂਨਦਾਨ ਕੀਤਾ। ਖੂਨਦਾਨ ਕੈਂਪ ਦਾ ਉਦਘਾਟਨ ਸੰਸਥਾ ਦੇ ਸੂਬਾ ਪ੍ਰਧਾਨ ਰਾਜੀਵ ਗੋਇਲ ਨੇ ਸਭ ਤੋਂ ਪਹਿਲਾਂ ਖੂਨਦਾਨ ਕਰਕੇ ਕੀਤਾ। ਇਸ ਮੌਕੇ ਸੰਸਥਾ ਦੇ ਐਡੀਦਰਾ ਵਿਕਾਸ ਗੋਇਲ ਵਿੱਕੀ ਏ ਵੀ ਇੰਡਸਟ੍ਰੀਜ, ਕਮਲਦੀਪ ਅਰੋੜਾ ਰਿਕੂ, ਸੁਰਿੰਦਰ ਵਾਲੀਆ ਅਤੇ ਖੁਸ਼ਹਾਲ ਸਿੰਗਲਾ ਮੈਂਬੀ ਆਦਿ ਨੇ ਵੀ ਖੂਨਦਾਨ ਕੀਤਾ। ਉਪਰੋਕਤ ਪ੍ਰੋਗਰਾਮ ਨੂੰ ਸਫਲ ਬਣਾਉਣ ਲਈ SAEL ਪਾਵਰ ਪਲਾਂਟ ਦੇ ਪਲਾਂਟ ਹੈਡ ਕਰਮਜੀਤ ਸਿੰਘ, ਈ ਐਚ ਐਸ ਕਮਲਪ੍ਰੀਤ ਸ਼ਰਮਾ, ਫਿਊਲ ਹੈਡ ਜਸਵੀਰ ਸਿੰਘ ਬਰਾੜ, ਡੀ ਜੀ ਐਮ ਸਕਿਓਰਿਟੀ ਹੈਡ ਪ੍ਰਦੀਪ ਕੁਮਾਰ, ਪ੍ਰਚੇਜ ਹੈਡ ਮਨਜੀਤ ਸਿੰਘ ਅਤੇ ਪ੍ਰਚੇਜ ਐਕਜੈਕਿਊਟਿਵ ਕਮਲਜੀਤ ਬਿੱਟੂ ਸਦਿਓੜਾ ਦਾ ਵਿਸ਼ੇਸ਼ ਯੋਗਦਾਨ ਰਿਹਾ। ਪ੍ਰੋਗਰਾਮ ਦੇ ਅੰਤ ਵਿੱਚ SAEL ਪਾਵਰ ਪਲਾਂਟ ਦੇ ਐਚ ਓ ਡੀ ਅਕਾਊਂਟਸ ਸੁਧਾਂਸ਼ੂ ਸਿੰਦਲ ਨੂੰ ਭਾਰਤ ਮਾਤਾ ਅਭਿਨੰਦਨ ਸੰਗਠਨ (ਰਜਿ.) ਵੱਲੋਂ ਇੱਕ ਯਾਦਗਾਰੀ ਚਿੰਨ੍ਹ ਭੇਂਟ ਕਰਕੇ ਸਨਮਾਨਿਤ ਕੀਤਾ ਗਿਆ।

6	**05-06-2024**	On June 5th, **World Environment Day**, we planted approximately **300-350 trees** in our plant area. Additionally, we planted trees in the nearby **village of Sedha Singh Wala,** including the **government primary school, civil veterinary dispensary, and public water tank area.** This initiative was carried out with the assistance of the Sedha Singh Wala Gram Panchayat, and we also discussed the importance of Environment Day with the community.		

ਵਾਤਾਵਰਣ ਨੂੰ ਸ਼ੁੱਧ ਤੇ ਹਰਿਆ-ਭਰਿਆ ਰੱਖਣ ਲਈ ਸਾਨੂੰ ਵੱਧ ਤੋਂ ਵੱਧ ਪੌਦੇ ਲਗਾਉਣੇ ਚਾਹੀਦੇ ਹਨ : ਕਰਮਜੀਤ ਸਿੰਘ

ਪੰਜਾਬ ਦਾ ਖੁਲਾਸਾ

ਸੋਡੇ, 10 ਅਗਸਤ (ਮਨਜੀਤ ਸਿੰਘ ਢੱਲਾ) : ਸੁਪਖੀਰ ਐਗਰੋ 'ਸੈਲ ਲਿਮਿਟਡ' ਪਲਾਂਟ ਸੋਢਾ ਸਿੰਘ ਢਾਲਾ ਸੋਡੇ ਵਿਖ ਵਾਤਾਵਰਨ ਨੂੰ ਬਚਾਉਣ ਲਈ ਪੌਦੇ ਲਗਾਏ ਗਏ।ਇਸ ਮੌਕੇ ਪਲਾਂਟ ਦੇ ਹੈਡ ਕਰਮਜੀਤ ਸਿੰਘ ਅਤੇ ਅਕਾਉਂਟੈਂਟ ਸ੍ਰੀ ਸੁਧਾਸ਼ੂ ਸਿਦਲ ਸੋਡੇ ਸੀ ਦੀ



ਵਾਤਾਵਰਨ ਨੂੰ ਬਚਾਉਣ ਲਈ ਸੈਲ ਲਿਮਿਟਡ ਪਲਾਂਟ ਵਿੱਚ ਲਗਾਏ ਪੌਦੇ

ਅਗਵਾਈ ਹੇਠ ਫਲਦਾਰ ਅਤੇ ਛਾਂਦਾਰ ਜਿਆਦਾ ਆਕਸੀਜਨ ਛੱਡਣ ਵਾਲੇ ਬੂਟੇ ਲਗਾਏ ਗਏ। ਇਸ ਮੌਕੇ ਸਰਦਾਰ ਕਰਮਜੀਤ ਸਿੰਘ ਨੇ ਪੌਦੇ ਲਗਾਉਣ ਮੌਕੇ ਕਿਹਾ ਕਿ ਵਾਤਾਵਰਣ ਨੂੰ ਸ਼ੁੱਧ ਤੇ ਹਰਿਆ-ਭਰਿਆ ਰੱਖਣ ਲਈ ਸਾਨੂੰ ਵੱਧ ਤੋਂ ਵੱਧ ਪੌਦੇ ਲਗਾਉਣੇ ਚਾਹੀਦੇ ਹਨ ਅਤੇ ਲੱਗੇ ਹੋਏ ਪੌਦਿਆਂ ਦੀ ਸਾਨੂੰ ਸਾਂਭ ਸੰਭਾਲ ਕਰਨੀ ਚਾਹੀਦੀ ਹੈ। ਇਸ ਮੌਕੇ ਸੁਪਖੀਰ ਐਗਰੋ ਸੈਲ ਲਿਮਿਟਡ ਪਲਾਂਟ ਸੋਢਾ ਸਿੰਘ ਢਾਲਾ ਸੋਡੇ ਦੇ ਕਰਮਚਾਰੀ ਕਰਮਵੀਰ ਸਿੰਘ, ਨਵਜੋਤ ਸਿੰਘ, ਚਮਕੌਰ ਸਿੰਘ, ਚਮਕੌਰ ਸਿੰਘ ਦਸ਼ਗੀਪਾਨਾ,ਹਰਜਿੰਦਰ ਸਿੰਘ ਬਰਾੜ, ਕਰਨਦੀਪ ਸਿੰਘ, ਕਮਲਪ੍ਰੀਤ ਸਿੰਘ, ਕੇਵਲ ਸਿੰਘ, ਅਮਰਦੀਪ ਸਿੰਘ,ਬਿਕਰ ਸਿੰਘ, ਜਸਬੀਰ ਸਿੰਘ ਬਰਾੜ, ਯੰਗਸ ਬਾਂਸਲ ਅਤੇ ਸਮੂਹ ਸਟਾਫ ਹਾਜਰ ਸਨ ।